



**TENDER DOCUMENT FOR FOREIGN PURCHASE
DOCKYARD & ENGINEERING WORKS LTD
BANGLADESH NAVY
SONAKANDA, BANDAR, NARAYANGANJ**
Web: www.dewbn.gov.bd, E-mail- commercial@dewbn.gov.bd

Price of tender document Tk. 1000.00 (Taka One Thousand only) (Non-refundable)

TENDER DOCUMENTS FOR SUPPLY OF FITTINGS MATERIALS (SERIAL NO: 1-78), LOT-01

TENDER ENQUIRY NO- 06.02.6758.165.07.193.25.1910 DATE 03 MARCH 2025

DUE FOR OPENING ON: 24 MARCH 2025; AT TIME: 12:30 PM





DOCKYARD & ENGINEERING WORKS LTD

BANGLADESH NAVY

SONAKANDA, BANDAR, NARAYANGANJ

Phone: 02-7661480, Fax: 02-7661027

E-mail- commercial@dewltd.gov.bd

IMPORTANT POINTS

1. **TENDER NO:** 06.02.6758.165.07.193.25.1910 Dated 03 March 2025.
2. **DUE FOR OPENING ON:** 24 March 2025; AT Time: 12.30 PM.
3. **PRICE OF TENDER DOCUMENTS:** TK 1,000.00 (Taka One Thousand only) non-refundable.
4. **EARNEST MONEY:** 1% (one) of the total quoted total value, either in Bangladesh currency or equivalent US\$/ EURO/ GBP etc., favoring Dockyard & Engineering Works Ltd. in the form of Bank Draft/ Pay Order/ Bank Guarantee.
5. **NAME OF THE COMMODITY:** Fittings Materials (Items Serial No: 1-78)
6. **SOURCE OF FINANCE:** Cash.
7. **TERMS OF SUPPLY:** CFR Chattogram / CPT Hazrat Shahjalal International Airport, Dhaka Bangladesh.
8. **Price:**
 - a) Materials and freight should be shown separately.
 - b) Freight should be shown/ endorsed on bill of lading.
 - c) Freight will be paid at actual against Bill of lading but not exceeding the amount shown in quotation/ offer.
9. **DELIVERY/ SHIPMENT:** 45 (Forty five) days after receiving Irrevocable Letter of Credit (ILOC).
10. **TENDER SHOULD REMAIN VALID:** 60 (Sixty) days from the date of opening.
11. **THE TENDER DOCUMENTS MUST BE WITH SEAL AND SIGN THEREOF ON EACH PAGE:**

The Dockyard & Engineering Works Ltd, BN, Narayanganj invites quotation in duplicate (Marked as "Original" and " Duplicate") from Manufactures/ Principal Suppliers for Supply of the item(s) described in the attached sheet schedule (Annex-B) on firm CFR Chattogram/ Hazrat Shahjalal International Airport, Bangladesh. Quotations will be received by this office up to 12:15 A.M. and will be Opened 12:30 AM in Public on the date specified above.

12. **AMENDMENTS TO TENDER DOCUMENTS:**

- a. At any time prior to deadline for submission of bids the purchaser may, for any reason, whether of its own initiative or in response to a clarification requested by a prospective bidder, modify the tender documents by the amendment(s).
- b. The amendment(s) will be notified in writing by letter/email or by cable to all prospective bidders who have purchased tender documents and the same will be binding on them.
- c. In order to allow the prospective bidders reasonable time to take the amendment into account in preparing their bids, the purchaser may at its sole discretion extend the deadline for submission of bids.

PREPARATION AND SUBMISSION OF QUOTATION

GENERAL :

- a. Offers are to be dropped in the tender box provided for the purpose at the office of DOCKYARD & ENGINEERING WORKS LTD, BNGLADESH NAVY, NARAYANGANJ

d. Tender number and opening date as above should be written on the envelope. The envelope containing quotation should be sealed and addressed as follows:-

THE MANAGING DIRECTOR
DOCKYARD & ENGINEERING WORKS LTD
RAJCHAUDESH KAPUR
SONAKANIDA, BANGKOK
NARAYANGANGULI BANGKOK DEATH

When preparing sealing date as above should be written on the envelope

e. Tender may be put into the Tender Box kept for this purpose at the above address, but care must be taken to ensure that it reaches this office on the date and time fixed. Late tenders will not be considered. Suppliers may also put the tender in THE MANAGING DIRECTOR, DOCKYARD & ENGINEERING WORKS LTD, RAJCHAUDESH KAPUR, SONAKANIDA, BANGKOK, NARAYANGANGULI, BANGKOK DEATH, subject to reaching on the date and time. No responsibility will be accepted by buyer for late receipt.

f. The Manufacturers/Principal Suppliers may quote in their own currency, but it is essential that the tender schedule rules, conditions and technical along with original necessary participate the buyer of the schedule was accordingly referred the quotation may not be considered.

g. Tenderers may quote price in Rupee/US Dollar in any international trading currency.

h. Tenderer may quote price in Pak Rupee or Rupee

i. Details should be given with the quotation in original technical location of their principal and the performance may be based on PRMULBPRSL.

h. Quotation should be giving in accordance with the following:-

- (1) Accounting unit specified in the tender enquiry
- (2) Terms of delivery and mode of delivery as specified in the tender enquiry

i. The name of the Manufacturers/Principal Suppliers and country of origin with name of shipping company should be indicated in the quotation.

k. Tenderers must submit the original performance location of their principal with the quotation and the technical location should carry indicate details technical specifications, the percentage of the unit value (Excess) recorded in FOB price for the local agent Commission is payable to the local agent by the foreign supplier. Buyers will not pay any extra Commission or otherwise to the local Agent.

l. No claims will be given of typographical errors in calculation of prices could be entertained later and the tendering firms would be asked under terms of penalty and disciplinary action to supply as price they have originally quoted.

m. Tendering agent should also submit along with the tender valid receipt showing receipt of the tender by the C&E Board. Telegraphic bank permission. In absence of the original receipt showing copy may serve.

n. Tenderers should quote the price as per schedule given in Annex A of this document.

p. Tenderers should submit a certificate along with the offer to the effect that they have gone through the instructions and terms and conditions of invitation to tender documents and have accepted them in full. As a token of such acceptance each page of this tender documents must be signed by the supplier with their SEAL. If the tender documents are not read and accordingly the quotation may not be considered. In case of disagreement on any point this must be stated clearly in a separate sheet. Tenderers may place "and treated as withdrawal" on the form may take to order. Expanding like as every condition has should be avoided and will be treated as disqualification.

CONTRACT:

The terms and conditions of the tender shall form an integral part of the contract purchase order document. The tenderer is expected to check this set of tender documents is made to ensure proper

compliance and the "Form of Acknowledgement" along with the "Certificate as to Corporate Principal" Where applicable, duly filed in be returned along with **tender**.

15. **BID LANGUAGE**

The bid's, all correspondences and documents relating thereto exchanged between the bidders and the purchaser shall be written in English Language.

16. **TERMS OF PAYMENT:**

Necessary LC is to be opened in favour of the principal supplier but payment will be made as per following terms:

- a. 80% of total Letter of Credit (LC) value is to be paid on production of necessary shipping documents.
- b. Remaining 20% of Letter of Credit (LC) value will be paid after received material receiving report from our main Store.
- c. Following documents are to be provided for payment:
 - (1) Complete set of original 'Clean on Board' Bill of lading /mentioning the amount of freight on Bill of Lading.
 - (2) Supplier's invoice signed in ink,
 - (3) Supplier's Packing list signed in ink,
 - (4) Authorized inspection agent's certificate (If required)
 - (5) Manufacturer Certificate
 - (6) Fax/E-mail/Swift advice for insurance cover,
 - (7) Country of origin Certificate
 - (8) Certificate showing that the material has been shipped in a non-Israeli vessel,
 - (9) Undertaking regarding supply/re-placement of short supplied and defective materials on free of cost demanded by the buyer.
- d. Bank charges in Bangladesh for opening of LC shall be borne by the buyer. Any Bank Charge for revalidation or amendment of the LC on the request of the supplier shall be exclusively borne by the beneficiaries and not by the DOCKYARD & ENGINEERING WORKS LTD. confirmation of letter of credit by foreign bank will not be entertained.
- e. Bank charge for withdrawal against LC established by buyer will be borne by the beneficiary.
- f. The beneficiary will have to borne the following foreign bank charge:-
 - (1) Negotiation commission.
 - (2) Payment Commission.
 - (3) Postage and Cable charges.
 - (4) LC confirmation charges/ additional (ADD) confirmation charges.
 - (5) LC amendment commission/LC extension commission.
 - (6) LC Cancellation charges.

17. **PACKING AND MARKING:**

- a. The Seller shall be responsible for proper packing and marking the goods for shipment by rail, road and sea. Goods shall be assembled to the maximum extent practical prior to shipment. Goods shall be packed so as to withstand usually rough handling and ensure delivery without loss or damage.
- b. Each Bundle must have the following information printed in **BOLD LETTERS** on the outside.

- (1) Name of the consignee and Destination,
- (2) Letter of credit number,
- (3) Gross and net weight,
- (4) Serial number of Bundle and,
- (5) Name and address of seller,



18. QUANTITY:

- a. Check of quality, quantity and condition of goods at the discharging port i.e. Chittagong/Hazra Shidjda Terminal in A. port will be immediately followed at their cost.
- b. The quotation must be based on firm prices for coverage of change prices should not be quoted.
- c. Descriptive catalogue and duly stamped should be furnished along with the quotation.
- d. The supplier must supply and use the dimension to suit the requirement quoted in.
- e. The DOCKYARD & ENGINEERING WORKS LTD. reserves the right of awarding contracts for the vessel technically acceptable to its own and lower tenderers. Firms coming on an accepted basis for joint items do so at their own risk. DOCKYARD & ENGINEERING WORKS LTD. will not be liable for allowances for short shipment or breaking items when awarding contracts for individual items which, and when reflected by tendering terms, are lead to discrepancy action.

SPECIALTY CLAUSES:

19. INSPECTION: The buyer reserves the right to have the goods inspected before shipment by any agency of their choice. The time inspection charges will be borne by the buyer. The name of the inspector will be indicated in the invoice statement of purchase order. The supplier will be liable to pay any expenses of special stores and also for the inspection, which will be made possible for the inspector due to multiple international visitation of the vessel and all of and to suit the convenience of the supplier. The inspection should be provided with all facilities to carry out the work smoothly and without hindrance. The price should if we choose does not restrain the buyer from a detailed inspection of quality and quantity of the cargo on arrival at the same at the port of discharge.

20. INSURANCE: Insurance of the consignment after shipment to destination and thereafter to the buyers premises will be arranged by buyer. Insurance should, therefore, be exclusive of the insurance charges.

21. LATE DELIVERY AND LIQUIDATED DAMAGES: Liquidated damages equivalent to 0.1 percent per week or part thereof of the value of the undelivered consignment to be paid for the complete contract.

In specific case where delay in delivery is likely to cause dislocation of work and financial loss, a higher rate of liquidated damages, not over one percent per week or part thereof on the value of the undelivered goods may be charged.

In a case of delay in delivery beyond one hundred days (one hundred days), purchase order contract may be cancelled in which case the performance guarantee shall be forfeited. On genuine reasons grounds beyond the control of the supplier's delay in delivery of delivery period may, however, be granted by the purchase approving authority without reduction or any liquidated damages provided validity of the performance guarantee does not expire.

22. CERTIFICATION OF THE PRINCIPAL SUPPLIERS:

The principal supplier shall have to submit a certificate from the appropriate banks regarding the financial standing of the supplier.

ANNEXOR

Certificate from the chamber of commerce and industry of the supplier's country regarding its standing as an export or import, operating with the world market.

23. QUALITY CERTIFICATE: The tenderer must furnish guarantee from the original Manufacturer/Supplier/ Sub-Agent to the effect that the goods will be of exact specification as laid down in the tender and in the event of placing a lot with one tenderer the Manufacturer/ Supplier or their Sub-agents or suppliers are liable to them (Tenderers) for supply of the same type of their tender. Warranties for all purchases shall be responsible for the acts of omission and commission of their contractors.

24. CASH/STAMP: All orders must submit earnest money for an amount equivalent to 10% price of total of the actual quoted price value of the goods either by Bangladeshi currency or equivalent to any International Trading currencies. Over the Dockyard & Engineering Works Ltd. in bank draft payable order or bank guarantee which will be issued by any scheduled bank of Bangladesh (not applicable to scheduled suppliers). In case bank guarantee is submitted, the same bank must remain valid for 60 days from the date of receiving the tender. Vendors may submit also in the case of guarantee issued by bank of foreign countries will be returned. Earnest money is liable to forfeiture in

the bidder for any reason whatsoever withdraws or modifies its offer or violets the terms after opening of the tender and before expiry of the validity of the offer, or fails to furnish the required performance bond with in the stipulated time after issuance of letter of intent. Bid bond/ earnest money of unsuccessful tenderer would be returned once a decision of the tender is made. A tender not accompanied by earnest money/ bid bond would be rejected as non-responsive. Bid bond of the successful bidder shall be returned after furnishing performance bond. A specimen copy of bid bond is enclosed herewith as annex-C.

25. **PERFORMANCE BOND:** The successful tenderer will be required to furnish performance bond to the extent 05% of the total CFR value either in the form of pay order/ bank draft/ bank guarantee for the satisfactory execution of the order. The performance bond should be given by any Bangladesh Commercial Bank under their (Bank) full risk in liabilities. If the same is submitted by bank guarantee it must remain valid material receiving report (MRR) from our main Store. Performance bond must be furnished within 10(ten) days from the date of letter of intent. It will be liable for forfeiture if the supplier fails to supply the goods within the specified time or commits any breach of contract. A specimen copy of performance bond is enclosed herewith Annex-D.

26. **WARRANTY:** 18 (Eighteen) Months warranty from the date of acceptance is to be provided. Total 05% of contract price is to be cut as security money which will be paid after the end of warranty period or Bank Guarantee against the same amount is to be provided until the end of warranty period.

27. **INDEMNITY:** The supplier have to indemnity the buyer against all claims which may be made in respect of the stores for infringement of any right protected by patent, registration of design etc and shall take all risk of accident or damage which may cause failure of the supply from whatever cause arising and take entire responsibility for the sufficiency of the means used by the supplier for the fulfillment of the contract.

28. **INCREASE OR DECREASE IN QUANTITY OF CONTRACT:** The buyer reserves the right at the time of award of contract, with no adjustment in unit price (bid) to increase or decrease the quantity tendered. The buyer also reserves the right to accept or reject any or all the tenders or to waive any informality, minor deviation or omission.

Award would be made to the bidder whose responsive bid determined to be the lowest evaluated bid who meets specification and other terms and conditions of the tender document.

29. The buyer has the option to place orders either on CFR Chattogram/ CPT Hazrat Shahjalal International Airport Bangladesh.

30. Should the suppliers be adjudged insolvent, the buyer shall have the power to terminate the contract.

31. **DISQUALIFICATION OF OFFER :**

a. Telex/ E-mail/ Swift/ Fax offer may be considered provided signed copy of proforma invoice is received within 24 (twenty four) hours from the opening of the tender.

b. Any addition or alternator to the specification or rate quoted by a firm in the tender after not only be ignored but should also render the firms liable to disqualification.

c. Any tender received late and not strictly confirming to terms and conditions prescribed in the tender documents not accompanied with the requisite earnest money and the money receipt of tender price and registration certificate may be liable for rejection.

32. **SPECIFIC EXPERIENCE:** The principal supplier must have experience of supply of similar goods in Bangladesh and understand the Letter of Credit (LC) process of Bangladesh. The foreign supplier must provide at least 5 letter of credit (LC) references of previous supply record to Bangladesh Buyer to prove its business relation and reliability in Bangladesh market.

33. **TAXES AND OTHER CHARGES:**

a. All duties, taxes and other charges levied on the goods by authorities in buyers country shall be borne by the buyer and shall not be included in the bid price.

b. Charges of such nature in seller's country or in any country other than the buyer country shall be borne by the seller's.



14. **BREACH OF CONTRACT:** On any event of contract by the seller, the buyer may recover the sum of loss suffered and the amount may be realized by encasing the performance guarantee.

15. **UNDERTAKING:** The Manufacturer/Supplier shall issue a certificate in the seller that they have shipped the goods strictly conforming to the weight and quality stipulated in the purchase order and that they will replace defective materials and replenish the short supplied quantity free of charge on demand by the buyers. Such certificate shall then, along with copy of the original shipping documents, be submitted to the bank for drawing of payment against letter of credit by the supplier.

16. **APPLICABLE LAWS:** The purchase order shall be interpreted in accordance with the law of the buyer's country.

17. **FORCE MAJEURE:** Should any circumstance arise preventing either of the contracting parties from wholly or partly carrying its obligation under the present contract, namely manufacturing, Stocks, Breakdowns of plant, war, military operations of any nature, blockades, any interference event which is beyond human control, the period stipulated for the performance of this contract shall be extended for as long as the circumstances persist. Provided that in the event of these circumstances continuing for more than forty (40) days, either party shall have the right to remove or fulfill its obligation under these contract and in such case neither party shall be entitled to claim compensation of any loss or incur liability. The party unable to carry out its obligation under this contract is immediately subject to either party of the re-arrangement and the termination of the circumstances preventing the performance of the contract. A certificate issued by the Chamber of Commerce of the seller and the buyer's country shall be sufficient proof of these circumstances and duration of such circumstances.

18. **ARBITRATION:** In the event any dispute or difference arising out of the terms and conditions as specified above, the same shall be referred to the award of a sole Arbitrator appointed by the parties in a mutual agreement. Failing which it shall be referred to the award of the two arbitrators, one each elected by each party and sitting in the case of disagreement between the two arbitrators in the award of an award to be appointed by the two arbitrators in writing before proceeded on the reference or the decision of the sole arbitrator or of two Arbitrators in the writing before proceeds on the reference or the decision of the sole arbitrator or of two arbitrators or the majority or in case may be shall final, conclusive and binding upon the parties. The provisions of the arbitration act 2007 and laws therein and any statutory modification thereof shall apply to the said arbitration. The place of arbitration shall be Dhaka, Bangladesh. Any statutory modification or enactment in force for the time being in force in Bangladesh shall apply to the arbitration proceedings. The above terms and conditions are included into the Packaged & Engineering works Ltd. Bangladesh Nepal. reserves the right to reserve additional terms and conditions, if necessary. The Packaged & Engineering works Ltd. Bangladesh Nepal also is not bound to accept the lowest tender and reserves the right to reject any or all tenders or to alter design or any material whatsoever.

Yours faithfully,


MOSTOFA KARIM
Chairman/BN
For Management Order

Enclosures:

A	Terms of price Schedule (Annex-A)	- 3 pages
B	Technical Specification (Annex-B)	- 14 Pages
C	Form of Bank Certificate in favor of buyers (Annex-C)	- 1 page
D	Form of performance Bank Guarantee (Annex-D)	- 1 page

Dockyard & Engineering Works Ltd

Bangladesh Navy

Sonakanda, Bandar, Narayanganj

SCHEDULE TO TENDER NO: 06.02.6758.165.07.193.25.1910 DATE 03 MARCH 2025 DUE FOR RETURN BY 24 MARCH 2025 AT 12.15 HOURSRef:

- A. 06.02.6758.165.55.412.25.326 Dated 19 February 2025.
 B. Indent no: 12802 Dated 20 February 2025.

Ser	DESCRIPTION	UNIT	QTY	UNIT PRICE (FOB)	TOTAL PRICE (FOB)
1	Air Pipe Head with Floating Ball & Flame Arrester Size/ Dimension: DN125 Materials: Steel	Nos	04		
2	Air Pipe Head with Floating Ball & Flame Arrester Size/ Dimension: DN50 Materials: Galvanized Steel	Nos	08		
3	Air Pipe Head with Floating Ball Size/ Dimension: DN150 Materials: Galvanized Steel	Nos	10		
4	Air Pipe Head with Floating Ball Size/ Dimension: DN125 Materials: Galvanized Steel	Nos	04		
5	Air Pipe Head with Floating Ball Size/ Dimension: DN100 Materials: Galvanized Steel	Nos	20		



Ser	DESCRIPTION	UNIT	QTY	UNIT PRICE (FOB)	TOTAL PRICE (FOB)
6	Air Pipe Head with Floating Ball Size/ Dimension: DN50 Materials: Galvanized Steel	Nos	04		
7	Angle Globe Valve Pressure Rating: PN10 Size/ Dimension: DN65 Materials: GGG40	Nos	04		
8	Angle Non-Return Stop Valve Pressure Rating: PN16 Size/ Dimension: DN50 Materials: GGG40	Nos	06		
9	Angle Non-Return Stop Valve Pressure Rating: PN16 Size/ Dimension: DN40 Materials: GGG40	Nos	06		
10	Angle Non-Return Stop Valve Pressure Rating: PN16 Size/ Dimension: DN65 Materials: GGG40	Nos	06		
11	Angle Stop Valve Pressure Rating: PN16 Size/ Dimension: DN250 Materials: GGG40	Nos	06		
12	Ball Valve Pressure Rating: PN6 Size/ Dimension: 28x2 Materials: GG25	Nos	10		
13	Ball Valve Pressure Rating: PN6 Size/ Dimension: DN50 Materials: GG25	Nos	06		



Ser	DESCRIPTION	UNIT	QTY	UNIT PRICE (FOB)	TOTAL PRICE (FOB)
14	Ball Valve Pressure Rating: PN10 Size/ Dimension: DN15 Materials: GG25	Nos	10		
15	Ball Valve Pressure Rating: PN10 Size/ Dimension: DN25 Materials: GG25	Nos	16		
16	Ball Valve Pressure Rating: PN10 Size/ Dimension: DN40 Materials: GG25	Nos	12		
17	Ball Valve Pressure Rating: PN10 Size/ Dimension: DN50 Materials: GG25	Nos	04		
18	Ball Valve Pressure Rating: PN16 Size/ Dimension: Ø8 Materials: GG25	Nos	04		
19	Ball Valve Pressure Rating: PN16 Size/ Dimension: Ø16 Materials: GG25	Nos	20		
20	Ball Valve Pressure Rating: PN16 Size/ Dimension: DN15 Materials: GG25	Nos	16		
21	Butterfly Valve Pressure Rating: PN6 Size/ Dimension: DN100 Materials: GG25	Nos	04		



Ser	DESCRIPTION	UNIT	QTY	UNIT PRICE (FOB)	TOTAL PRICE (FOB)
22	Butterfly Valve Pressure Rating: PN6 Size/ Dimension: DN125 Materials: GG25	Nos	20		
23	Butterfly Valve Pressure Rating: PN6 Size/ Dimension: DN200 Materials: GG25	Nos	20		
24	Butterfly Valve Pressure Rating: PN10 Size/ Dimension: DN50 Materials: GG25	Nos	04		
25	Butterfly Valve Pressure Rating: PN10 Size/ Dimension: DN65 Materials: GG25	Nos	04		
26	Butterfly Valve Pressure Rating: PN16 Size/ Dimension: DN50 Materials: GG25	Nos	08		
27	Butterfly Valve Pressure Rating: PN16 Size/ Dimension: DN65 Materials: GG25	Nos	16		
28	Butterfly Valve Pressure Rating: PN16 Size/ Dimension: DN250 Materials: GG25	Nos	06		
29	Fire Fighting Valve Pressure Rating: PN10 Size/ Dimension: DN50 Materials: Bronze	Nos	06		



Ser	DESCRIPTION	UNIT	QTY	UNIT PRICE (FOB)	TOTAL PRICE (FOB)
30	Gate Valve Pressure Rating: PN6 Size/ Dimension: DN25 Materials: GG25	Nos	10		
31	Gate Valve Pressure Rating: PN6 Size/ Dimension: DN40 Materials: GG25	Nos	16		
32	Gate Valve Pressure Rating: PN6 Size/ Dimension: DN50 Materials: GG25	Nos	16		
33	Gate Valve Pressure Rating: PN6 Size/ Dimension: DN100 Materials: GG25	Nos	02		
34	Gate Valve Pressure Rating: PN10 Size/ Dimension: DN65 Materials: GG25	Nos	04		
35	Gate Valve Pressure Rating: PN6 Size/ Dimension: DN125 Materials: GGG40	Nos	04		
36	Gate Valve Pressure Rating: PN10 Size/ Dimension: DN65 Materials: GGG40	Nos	06		
37	Globe Valve Pressure Rating: PN6 Size/ Dimension: DN15 Materials: GG25	Nos	10		



Ser	DESCRIPTION	UNIT	QTY	UNIT PRICE (FOB)	TOTAL PRICE (FOB)
38	Globe Valve Pressure Rating: PN6 Size/ Dimension: DN20 Materials: GG25	Nos	04		
39	Non-Return Stop Valve Pressure Rating: PN6 Size/ Dimension: 22x2 Materials: GG25	Nos	04		
40	Non-Return Stop Valve Pressure Rating: PN6 Size/ Dimension: DN8 Materials: GG25	Nos	04		
41	Non-Return Stop Valve Pressure Rating: PN6 Size/ Dimension: DN25 Materials: GG25	Nos	20		
42	Non-Return Stop Valve Pressure Rating: PN6 Size/ Dimension: DN40 Materials: GG25	Nos	04		
43	Non-Return Stop Valve Pressure Rating: PN6 Size/ Dimension: DN50 Materials: GG25	Nos	04		
44	Non-Return Stop Valve Pressure Rating: PN10 Size/ Dimension: DN40 Materials: GG25	Nos	04		
45	Non-Return Stop Valve Pressure Rating: PN16 Size/ Dimension: DN50 Materials: GG25	Nos	20		



Ser	DESCRIPTION	UNIT	QTY	UNIT PRICE (FOB)	TOTAL PRICE (FOB)
46	Non-Return Stop Valve Pressure Rating: PN16 Size/ Dimension: DN65 Materials: GG25	Nos	10		
47	Non-Return Stop Valve Pressure Rating: PN16 Size/ Dimension: DN80 Materials: GG25	Nos	02		
48	Non-Return Stop Valve Pressure Rating: PN6 Size/ Dimension: DN50 Materials: GGG40	Nos	02		
49	Non-Return Stop Valve Pressure Rating: PN6 Size/ Dimension: DN200 Materials: GGG40	Nos	04		
50	Non-Return Stop Valve Pressure Rating: PN16 Size/ Dimension: Ø16 Materials: GGG40	Nos	06		
51	Non-Return Valve Pressure Rating: PN6 Size/ Dimension: DN125 Materials: GG25	Nos	02		
52	Non-Return Valve Pressure Rating: PN6 Size/ Dimension: DN200 Materials: GG25	Nos	04		
53	Non-Return Valve Pressure Rating: PN10 Size/ Dimension: DN65 Materials: GG25	Nos	02		



Ser	DESCRIPTION	UNIT	QTY	UNIT PRICE (FOB)	TOTAL PRICE (FOB)
54	Non-Return Valve Pressure Rating: PN16 Size/ Dimension: DN15 Materials: GG25	Nos	02		
55	Pressure Regulator Valve Pressure Rating: PN16 Size/ Dimension: DN65 Materials: GG25	Nos	04		
56	Pressure Relief Valve Pressure Rating: PN6 Size/ Dimension: DN50 Materials: GG25	Nos	04		
57	Pressure Relief Valve Pressure Rating: PN10 Size/ Dimension: DN25 Materials: GG25	Nos	04		
58	Pressure Relief Valve Pressure Rating: PN16 Size/ Dimension: Ø16 Materials: GG25	Nos	04		
59	Pressure Relief Valve Pressure Rating: PN16 Size/ Dimension: DN15 Materials: GG25	Nos	02		
60	Pressure Relief Valve Pressure Rating: PN16 Size/ Dimension: DN65 Materials: GG25	Nos	02		
61	Quick Closing Valve Pressure Rating: PN6 Size/ Dimension: 22x2 Materials: GGG40	Nos	04		



Ser	DESCRIPTION	UNIT	QTY	UNIT PRICE (FOB)	TOTAL PRICE (FOB)
62	Quick Closing Valve Pressure Rating: PN6 Size/ Dimension: 28x2 Materials: GGG40	Nos	04		
63	Quick Closing Valve Pressure Rating: PN6 Size/ Dimension: DN8 Materials: GGG40	Nos	04		
64	Quick Closing Valve Pressure Rating: PN6 Size/ Dimension: DN15 Materials: GGG40	Nos	04		
65	Quick Closing Valve Pressure Rating: PN6 Size/ Dimension: DN40 Materials: GGG40	Nos	08		
66	Relief Valve Pressure Rating: PN10 Size/ Dimension: DN50 Materials: GG25	Nos	02		
67	Solenoid Valve Pressure Rating: PN10 Size/ Dimension: DN15 Materials: GG25	Nos	06		
68	Self-Closing Valve Pressure Rating: PN6 Size/ Dimension: DN20 Materials: GGG40	Nos	08		
69	Stop Valve Pressure Rating: PN6 Size/ Dimension: DN40 Materials: GG25	Nos	04		



Ser	DESCRIPTION	UNIT	QTY	UNIT PRICE (FOB)	TOTAL PRICE (FOB)
70	Expansion Joint Pressure Rating: PN6 Size/ Dimension: DN125 Materials: Steel	Nos	22		
71	Expansion Joint Pressure Rating: PN10 Size/ Dimension: DN50 Materials: Steel	Nos	10		
72	Expansion Joint Pressure Rating: PN10 Size/ Dimension: DN65 Materials: Steel	Nos	04		
73	Flush Type Sounding Pipe Head Size/ Dimension: DN50 Materials: Galvanized Steel	Nos	25		
74	Self-Closing Sounding Pipe Head Size/ Dimension: DN50 Materials: Steel	Nos	04		
75	Self-Closing Sounding Pipe Head Size/ Dimension: DN50 Materials: Galvanized Steel	Nos	06		
76	Mud Box Pressure Rating: PN10 Size/ Dimension: DN65 Materials: GG25	Nos	02		



Ser	DESCRIPTION	UNIT	QTY	UNIT PRICE (FOB)	TOTAL PRICE (FOB)
77	Strum Box Size/ Dimension: DN25 Materials: Steel	Nos	06		
78	Y-Filter Pressure Rating: PN6 Size/ Dimension: DN40 Materials: GG25	Nos	04		
FOB including local agent commission as per manufacture/ principal/ supplier/ quotation/ proforma invoice Price					
				Freight Cost	
CFR Chattogram / CPT Hazrat Shahjalal International Airport, Dhaka Bangladesh Total Price					



Inword:

TERMS OF CONDITIONS:

01	Name and Address of Manufacturer's	To be mentioned	
02	Name and Address of principal	To be mentioned.	
03	Name and Address of Local Agent	To be mentioned.	
04	Name of the Manufacturer & Authorization Certificate	To be mentioned.	
05	Country of Origin	To be mentioned.	
06	Country of Manufacturer	To be mentioned.	
07	Certification	Certificate to be provided as per Technical Specification.	
08	Offer validity	60 days from the date of opening	
09	Port of shipment	To be mentioned	
10	Part Shipment	Not allowed	
11	Transshipment	Allowed	
12	Shipment / Delivery	45 days after receiving LC.	
13	Original Proforma Invoice	To be provided	
14	Earnest Money	To be provided	



15	Payment	a. 80% of total Letter of Credit (LC) value is to be paid on production of necessary shipping documents. b. Remaining 20% of Letter of Credit (LC) value will be paid after received material receiving report from our main Store.	
16	All other terms and conditions as laid down in tender documents to be followed.		

Your quotation No:
the tendered:
Date:

Signature, name and address



TECHNICAL SPECIFICATION

SL No	Technical Description, Specification and standard required	UNIT	QTY	Specification offered by Bidder
1	Air Pipe Head with Floating Ball & Flame Arrester Size/ Dimension: DN125 Materials: Steel DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Type Approved Certificate	Nos	04	
2	Air Pipe Head with Floating Ball & Flame Arrester Size/ Dimension: DN50 Materials: Galvanized Steel DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Type Approved Certificate	Nos	08	
3	Air Pipe Head with Floating Ball Size/ Dimension: DN150 Materials: Galvanized Steel DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Type Approved Certificate	Nos	10	
4	Air Pipe Head with Floating Ball Size/ Dimension: DN125 Materials: Galvanized Steel DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Type Approved Certificate	Nos	04	
5	Air Pipe Head with Floating Ball Size/ Dimension: DN100 Materials: Galvanized Steel DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Type Approved Certificate	Nos	20	
6	Air Pipe Head with Floating Ball Size/ Dimension: DN50 Materials: Galvanized Steel DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Type Approved Certificate	Nos	04	



7	Angle Globe Valve Pressure Rating: PN10 Size/ Dimension: DN65 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Type Approved Certificate	Nos	04	
8	Angle Non-Return Stop Valve Pressure Rating: PN16 Size/ Dimension: DN50 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Product Certificate	Nos	06	
9	Angle Non-Return Stop Valve Pressure Rating: PN16 Size/ Dimension: DN40 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Product Certificate	Nos	06	
10	Angle Non-Return Stop Valve Pressure Rating: PN16 Size/ Dimension: DN65 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Product Certificate	Nos	06	
11	Angle Stop Valve Pressure Rating: PN16 Size/ Dimension: DN250 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Type Approved Certificate	Nos	06	
12	Ball Valve Pressure Rating: PN6 Size/ Dimension: 28x2 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	10	



13	Ball Valve Pressure Rating: PN6 Size/ Dimension: DN50 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	06	
14	Ball Valve Pressure Rating: PN10 Size/ Dimension: DN15 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	10	
15	Ball Valve Pressure Rating: PN10 Size/ Dimension: DN25 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	16	
16	Ball Valve Pressure Rating: PN10 Size/ Dimension: DN40 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	12	
17	Ball Valve Pressure Rating: PN10 Size/ Dimension: DN50 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
18	Ball Valve Pressure Rating: PN16 Size/ Dimension: Ø8 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	



19	Ball Valve Pressure Rating: PN16 Size/ Dimension: Ø16 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	20	
20	Ball Valve Pressure Rating: PN16 Size/ Dimension: DN15 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	16	
21	Butterfly Valve Pressure Rating: PN6 Size/ Dimension: DN100 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
22	Butterfly Valve Pressure Rating: PN6 Size/ Dimension: DN125 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	20	
23	Butterfly Valve Pressure Rating: PN6 Size/ Dimension: DN200 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	20	
24	Butterfly Valve Pressure Rating: PN10 Size/ Dimension: DN50 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	



25	Butterfly Valve Pressure Rating: PN10 Size/ Dimension: DN65 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
26	Butterfly Valve Pressure Rating: PN16 Size/ Dimension: DN50 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	08	
27	Butterfly Valve Pressure Rating: PN16 Size/ Dimension: DN65 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	16	
28	Butterfly Valve Pressure Rating: PN16 Size/ Dimension: DN250 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	06	
29	Fire Fighting Valve Pressure Rating: PN10 Size/ Dimension: DN50 Materials: Bronze DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	06	
30	Gate Valve Pressure Rating: PN6 Size/ Dimension: DN25 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	10	



31	Gate Valve Pressure Rating: PN6 Size/ Dimension: DN40 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	16	
32	Gate Valve Pressure Rating: PN6 Size/ Dimension: DN50 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	16	
33	Gate Valve Pressure Rating: PN6 Size/ Dimension: DN100 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	02	
34	Gate Valve Pressure Rating: PN10 Size/ Dimension: DN65 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
35	Gate Valve Pressure Rating: PN6 Size/ Dimension: DN125 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Type Approved Certificate	Nos	04	
36	Gate Valve Pressure Rating: PN10 Size/ Dimension: DN65 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Type Approved Certificate	Nos	06	



37	Globe Valve Pressure Rating: PN6 Size/ Dimension: DN15 Materials: GG25 H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	10	
38	Globe Valve Pressure Rating: PN6 Size/ Dimension: DN20 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
39	Non-Return Stop Valve Pressure Rating: PN6 Size/ Dimension: 22x2 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
40	Non-Return Stop Valve Pressure Rating: PN6 Size/ Dimension: DN8 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
41	Non-Return Stop Valve Pressure Rating: PN6 Size/ Dimension: DN25 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	20	
42	Non-Return Stop Valve Pressure Rating: PN6 Size/ Dimension: DN40 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	



43	Non-Return Stop Valve Pressure Rating: PN6 Size/ Dimension: DN50 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
44	Non-Return Stop Valve Pressure Rating: PN10 Size/ Dimension: DN40 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
45	Non-Return Stop Valve Pressure Rating: PN16 Size/ Dimension: DN50 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	20	
46	Non-Return Stop Valve Pressure Rating: PN16 Size/ Dimension: DN65 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	10	
47	Non-Return Stop Valve Pressure Rating: PN16 Size/ Dimension: DN80 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	02	
48	Non-Return Stop Valve Pressure Rating: PN6 Size/ Dimension: DN50 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Product Certificate	Nos	02	



49	Non-Return Stop Valve Pressure Rating: PN6 Size/ Dimension: DN200 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Product Certificate	Nos	04	
50	Non-Return Stop Valve Pressure Rating: PN16 Size/ Dimension: Ø16 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Product Certificate	Nos	06	
51	Non-Return Valve Pressure Rating: PN6 Size/ Dimension: DN125 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	02	
52	Non-Return Valve Pressure Rating: PN6 Size/ Dimension: DN200 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
53	Non-Return Valve Pressure Rating: PN10 Size/ Dimension: DN65 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	02	
54	Non-Return Valve Pressure Rating: PN16 Size/ Dimension: DN15 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	02	



55	Pressure Regulator Valve Pressure Rating: PN16 Size/ Dimension: DN65 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
56	Pressure Relief Valve Pressure Rating: PN6 Size/ Dimension: DN50 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
57	Pressure Relief Valve Pressure Rating: PN10 Size/ Dimension: DN25 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
58	Pressure Relief Valve Pressure Rating: PN16 Size/ Dimension: Ø16 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
59	Pressure Relief Valve Pressure Rating: PN16 Size/ Dimension: DN15 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	02	
60	Pressure Relief Valve Pressure Rating: PN16 Size/ Dimension: DN65 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	02	



61	Quick Closing Valve Pressure Rating: PN6 Size/ Dimension: 22x2 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
62	Quick Closing Valve Pressure Rating: PN6 Size/ Dimension: 28x2 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
63	Quick Closing Valve Pressure Rating: PN6 Size/ Dimension: DN8 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
64	Quick Closing Valve Pressure Rating: PN6 Size/ Dimension: DN15 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
65	Quick Closing Valve Pressure Rating: PN6 Size/ Dimension: DN40 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	08	
66	Relief Valve Pressure Rating: PN10 Size/ Dimension: DN50 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	02	



67	Solenoid Valve Pressure Rating: PN10 Size/ Dimension: DN15 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	06	
68	Self-Closing Valve Pressure Rating: PN6 Size/ Dimension: DN20 Materials: GGG40 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	08	
69	Stop Valve Pressure Rating: PN6 Size/ Dimension: DN40 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
70	Expansion Joint Pressure Rating: PN6 Size/ Dimension: DN125 Materials: Steel DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Type Approved Certificate	Nos	22	
71	Expansion Joint Pressure Rating: PN10 Size/ Dimension: DN50 Materials: Steel DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Type Approved Certificate	Nos	10	
72	Expansion Joint Pressure Rating: PN10 Size/ Dimension: DN65 Materials: Steel DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: BV Type Approved Certificate	Nos	04	



73	Flush Type Sounding Pipe Head Size/ Dimension: DN50 Materials: Galvanized Steel DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	25	
74	Self-Closing Sounding Pipe Head Size/ Dimension: DN50 Materials: Steel DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	
75	Self-Closing Sounding Pipe Head Size/ Dimension: DN50 Materials: Galvanized Steel DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	06	
76	Mud Box Pressure Rating: PN10 Size/ Dimension: DN65 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	02	
77	Strum Box Size/ Dimension: DN25 Materials: Steel DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	06	
78	Y-Filter Pressure Rating: PN6 Size/ Dimension: DN40 Materials: GG25 DIN Standard H S Code: To be mentioned Country of Origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	Nos	04	



Compliance Statement. A compliance statement (in a tabular format) fulfilling all the requirement of the tender is to be submitted for evaluation of the quotations. Stating mere '**Yes**' or '**No**' or '**Complied**' will not suffice and detailed description/ information as required is to be given. An incomplete compliance statement may attribute to cancellation of the offer. If any clause of this specification does not commensurate with offered laser guided alignment machine, the deviation has to be spelt out clearly.



BANK GUARANTEE IN LIEU OF EARNEST MONEY

Guarantee No _____
Dated _____
For (mention amount) _____

Dear Sir,

Whereas (Name of tender floating organization) under tender No-----
-----dated -----inviting tenders for supplies of (described
supplies) has agreed to waive the requirement of cash deposit /call deposit of US\$/ £/ Tk-----
-----being %1(one percent) of the value of supplies as earnest money by the tender for
making in accordance with the terms and conditions of the tenderer and the tenderer shall provide a
bank guarantee for payment for the said amount .

And whereas the tenderer M/S,----- of -----has
requested us (name of bank) of -----to issue a guarantee for payment of the
amount of US\$/ £/ Tk-----when called upon.

In consideration of the aforesaid, we (name of bank) of ----- hereby undertake
and guarantee due performance of the tender by tenderer M/S----- of ----- and
unconditionally and absolutely bind ourselves :

1. To make payment without any question whatsoever of US\$/ £/ Tk-----to ----
----- (name of organisation) or as direct by the organisation immediately on receipt of demand from
the said , organisation in writing , in the event be tenderer fail to perform the tender , it is expressly
understood that the organisation shall be the sole judge for deciding whether the tender has
performed the tender and fulfill the terms and condition of the tender.

2. It is specially stipulated and understood by the bank that any grant of time or indulgence to the
tenderer without reference to the bank shall not in any manner tent to absolve the bank from its
liability to make the payment stipulated above under this guarantee.

3. The bank's commitment under this guarantee is limited to and amount of US\$/ £/ Tk-----
----- (-----) only .

4. The guarantee will remain valid up to -----

Yours faithfully

(seal of the bank)

-----Bank



PERFORMANCE BANK GUARANTEE

Managing Director
Dockyard & Engineering works Ltd
Bangladesh Navy
Sonakanda, Bandor, Narayanganj

Bank Guarantee no _____
Dated _____
For (Mention amount) _____

Dear Sir,

Whereas Dockyard & Engineering works Ltd, Bangladesh Navy, Sonakanda, Bandor, Narayanganj, hereinafter referred to as the buyers proposed to enter in to a contract through a letter of intent/Purchase Order No _____ dated _____ hereinafter called the contract with (name of the sellers) of _____ hereinafter referred to as the sellers for the supply of (described supplies) in accordance with terms and conditions of the contract. And whereas the sellers have requested us (name of the bank) to issue a guarantee for an amount of US\$/ £/ EURO/ Tk. _____ Being 5% of the CFR value of the supplies.

In Consideration aforesaid (name of bank) _____ here by undertake and guarantee due observance and performance of the terms and condition of the contract by the sellers and we unconditionally and absolutely bind ourselves.

To make payment on demand, without demur and without reference to the sellers, of US\$/ £/ EURO/ Tk. _____ to the buyers or as directed by the buyers in writing , if the sellers shall fail to perform the contract of fulfill the terms and conditions thereof.

To keep guarantee valid and in force for 4 (four) months beyond the date of shipment but extendable if so required by the buyers.

The guarantee is unconditional and it is expressly understood that the buyers shall be sole judge for deciding whether the sellers have performed the contract and fulfilled the terms and conditions thereof.

It is specifically stipulated and understood by us (name of bank) that any grant of time of indulgence to the sellers without reference to us shall not in any manner tend to absolve us from our liability to make payment as stipulated above under the guarantee.

our commitment under this guarantee is limited to an amount of US\$/£/EURO/Tk. _____ only.

Yours faithfully

(seal of the bank)

-----Bank

