



**TENDER DOCUMENT FOR FOREIGN PURCHASE
DOCKYARD & ENGINEERING WORKS LTD**

BANGLADESH NAVY

SONAKANDA, BANDAR, NARAYANGANJ

Web: www.dewbn.gov.bd, E-mail- commercial@dewbn.gov.bd

Price of tender document Tk. 1,000.00 (Taka One Thousand only) (Non-refundable)

TENDER DOCUMENTS FOR SUPPLY OF PANEL FITTINGS MATERIALS (SERIAL NO: 1-26), LOT-01

TENDER ENQUIRY NO- 06.02.6758.165.07.193.25.2196 DATE 13 APRIL 2025

DUE FOR OPENING ON: 07 MAY 2025; AT TIME: 12:30 PM





DOCKYARD & ENGINEERING WORKS LTD
BANGLADESH NAVY
SONAKANDA, BANDAR, NARAYANGANJ
Phone: 02-7661480, Fax: 02-7661027
E-mail- commercial@dewltd.gov.bd

IMPORTANT POINTS

1. **TENDER NO:** 06.02.6758.165.07.193.25.2196 Dated 13 April 2025.
2. **DUE FOR OPENING ON:** 07 May 2025; AT Time: 12.30 PM.
3. **PRICE OF TENDER DOCUMENTS:** TK 1,000.00 (Taka One Thousand only) non-refundable.
4. **EARNEST MONEY:** 1% (one) of the total quoted total value, either in Bangladesh currency or equivalent US\$/ EURO/ GBP etc., favoring Dockyard & Engineering Works Ltd. in the form of Bank Draft/ Pay Order/ Bank Guarantee.
5. **NAME OF THE COMMODITY:** Panel Fittings Materials (Items Serial No: 1-26), Lot-01
6. **SOURCE OF FINANCE:** Cash.
7. **TERMS OF SUPPLY:** CFR Chattogram / CPT Hazrat Shahjalal International Airport, Dhaka Bangladesh.
8. **Price:**
 - a) Materials and freight should be shown separately.
 - b) Freight should be shown/ endorsed on bill of lading.
 - c) Freight will be paid at actual against Bill of lading but not exceeding the amount shown in quotation/ offer.
9. **DELIVERY/ SHIPMENT:** 45 (Forty five) days after receiving Irrevocable Letter of Credit (ILOC).
10. **TENDER SHOULD REMAIN VALID:** 60 (Sixty) days from the date of opening.
11. **THE TENDER DOCUMENTS MUST BE WITH SEAL AND SIGN THEREOF ON EACH PAGE:**

The Dockyard & Engineering Works Ltd, BN, Narayanganj invites quotation in duplicate (Marked as "Original" and " Duplicate") from Manufactures/ Principal Suppliers for Supply of the item(s) described in the attached sheet schedule (Annex-B) on firm CFR Chattogram/ Hazrat Shahjalal International Airport, Bangladesh. Quotations will be received by this office up to **12:15 A.M.** and will be Opened **12:30 AM** in Public on the date specified above.

AMENDMENTS TO TENDER DOCUMENTS:

- a. At any time prior to deadline for submission of bids the purchaser may, for any reason, whether of its own initiative or in response to a clarification requested by a prospective bidder, modify the tender documents by the amendment(s).
- b. The amendment(s) will be notified in writing by letter/email or by cable to all prospective bidders who have purchased tender documents and the same will be binding on them.
- c. In order to allow the prospective bidders reasonable time to take the amendment into account in preparing their bids, the purchaser may at its sole discretion extend the deadline for submission of bids.

PREPARATION AND SUBMISSION OF QUOTATION

13. **GENERAL :**
 - a. Offers are to be dropped in the tender box provided for the purpose at the office of DOCKYARD & ENGINEERING WORKS LTD, BNGLADESH NAVY, NARAYANGANJ

b. Tender number and opening date as above should be written on the envelope. The envelope containing quotation should be sealed and addressed as follows:

THE MANAGING DIRECTOR
DOCKYARD & ENGINEERING WORKS LTD
BANGLADESH NAVY
SONAKANDA, BANDOR
NARAYANGANJ, BANGLADESH

Tender number opening date as above should be written on the envelope.

c. Tender may be put into the Tender Box kept for this purpose at the above address, but care must be taken to ensure that it reaches this office on the date and time fixed. Late tenders will not be considered. Suppliers may also post the tender to THE MANAGING DIRECTOR, DOCKYARD & ENGINEERING WORKS LTD, BANGLADESH NAVY, SONAKANDA, BANDOR, NARAYANGANJ, BANGLADESH, so, as to reach him on due date and time. No responsibility will be accepted by buyer for late receipt.

d. The Manufacturers/ Principal Suppliers may quote in their own letter head, but it is essential that the tender schedule is also completed and returned, along with original money receipt to the buyer. If the schedule is not accordingly returned the quotation may not be considered.

e. Tenderers may quote price Bangladesh Taka/ US Dollar/ in any International trading currency.

f. Tenderers may quote price for Package or item Wise.

g. Tenders should enclose with the quotation the original proforma Invoice of their principal and the proforma should be based on FIRM CFR PRICE.

h. Quotation should be strictly in accordance with the following:

- (1) Accounting unit prescribed in the tender enquiry.
- (2) Terms of delivery and place of delivery as specified in the tender enquiry.

j. The name of the Manufacturers/ Principal suppliers and country/ countries of origin with port of shipment proposed should invariably be indicated.

k. Tenderers must submit the original proforma Invoice of their principals with the quotation and the proforma Invoice shall clearly indicate detail technical specification, the percentage of commission (if any) included in FOB price for the local agent. Commission is payable to the local agent by the foreign supplier. **Buyers will not pay any extra Commission or otherwise to the local Agent.**

l. No claims on the ground of typographical errors in calculating prices would be entertained later and the tendering firms would be asked under points of penalty and disciplinary action to supply at price they have originally quoted.

m. Indenting agent should also submit along with the tender valid registration certificate issued by the CCI & E and Bangladesh bank permission. In absence of original certificate photo state copy may serve.

n. Tenderers should quote the price as per schedule given in Annex A to this document.

p. Tenderers should submit a certificate along with the offer to the effect that they have gone through the instructions and terms and conditions stipulated in the tender documents and have accepted them into. **As a token of such acceptance each page of this tender documents must be signed by the supplier with their SEAL.** If the tender documents are not received accordingly, the quotation may not be considered. In case of disagreement on any point this must be stated clearly in a separate sheet. Tenderers must give full and detailed specification of the items they like to offer. Expressing like as per your specifications should be avoided and will be treated as disqualification.

14. CONTRACT:

The terms and conditions of the tender document shall form an integral part of the contract/ purchase order document. The tenderer is requested to check this set of tender documents in order to ensure proper

compliance and the "Form of Acknowledgement" along with the "Certificate as to **Corporate Principal**" Where applicable, duly filed in be returned along with **tender**.

15. **BID LANGUAGE**

The bid's, all correspondences and documents relating thereto exchanged between the bidders and the purchaser shall be written in English Language.

16. **TERMS OF PAYMENT:**

Necessary LC is to be opened in favour of the principal supplier but payment will be made as per following terms:

- a. 80% of total Letter of Credit (LC) value is to be paid on production of necessary shipping documents.
- b. Remaining 20% of Letter of Credit (LC) value will be paid after received material receiving report from our main Store.
- c. Following documents are to be provided for payment:
 - (1) Complete set of original 'Clean on Board' Bill of lading /mentioning the amount of freight on Bill of Lading.
 - (2) Supplier's invoice signed in ink,
 - (3) Supplier's Packing list signed in ink,
 - (4) Authorized inspection agent's certificate (If required)
 - (5) Manufacturer Certificate
 - (6) Fax/E-mail/Swift advice for insurance cover,
 - (7) Country of origin Certificate
 - (8) Certificate showing that the material has been shipped in a non-Israel vessel,
 - (9) Undertaking regarding supply/re-placement of short supplied and defective materials on free of cost demanded by the buyer.
- d. Bank charges in Bangladesh for opening of LC shall be borne by the buyer. Any Bank Charge for revalidation or amendment of the LC on the request of the supplier shall be exclusively borne by the beneficiaries and not by the DOCKYARD & ENGINEERING WORKS LTD. confirmation of letter of credit by foreign bank will not be entertained.
- e. Bank charge for withdrawal against LC established by buyer will be borne by the beneficiary.
- f. The beneficiary will have to borne the following foreign bank charge:-
 - (1) Negotiation commission.
 - (2) Payment Commission.
 - (3) Postage and Cable charges.
 - (4) LC confirmation charges/ additional (ADD) confirmation charges.
 - (5) LC amendment commission/LC extension commission.
 - (6) LC Cancellation charges.

17. **PACKING AND MARKING:**

- a. The Seller shall be responsible for proper packing and marking the goods for shipment by rail, road and sea. Goods shall be assembled to the maximum extent practical prior to shipment. Goods shall be packed so as to withstand usually rough handling and ensure delivery without loss or damage.
- b. Each Bundle must have the following information printed in **BOLD LETTERS** on the outside.
 - (1) Name of the consignee and Destination,
 - (2) Letter of credit number,
 - (3) Gross and net weight,
 - (4) Serial number of Bundle and,
 - (5) Name and address of seller,



18. **QUANTITY:**

- a. Check of quality, quantity and condition of goods at the discharging port i.e, Chattogram/ Hazrat Shahjalal International Airport will be carried out by the buyer at their cost.
- b. The quotation must be based on firm prices for package. Average prices should not be quoted.
- c. Descriptive catalogue/ literature duly stamped should be furnished along with the Quotation.
- d. The approximate weight of each Bundle should be shown separately on quotation.
- e. The DOCKYARD & ENGINEERING WORKS LTD, reserves the right of awarding contracts for individual technically acceptable items on the lowest acceptable prices. Firms quoting on an average basis for joint items do so at their own risk. DOCKYARD AND ENGINEERING WORKS LTD, will not make any allowances for this action of the tendering firms when awarding contracts for individual items which if and when refused by tendering firms any lead to disciplinary action.

SPECIALLY CLAUSES:

19. **INSPECTION:** The buyer reserves the right to have the stores inspected before shipment by any agency of their choice. In that case inspection charges will be borne by the buyer. The name of the Inspector will be intimated at the time of placement of purchase order. The supplier will be liable to pay any expenses of rejected stores and also for such inspection, which will become payable to the inspector due to multiple intervention/ visits and or fruitless visits at the call of and to suit the convenience of the supplier. The Inspector should be provided with all facilities to carry out their job smoothly and without interference. The provision laid down above does not restrain the buyer, from a detailed inspection of quality and quantity of the cargo on arrival of the same at the port of discharge.

20. **INSURANCE:** Insurance of the consignment after shipment to destination port/ place (up to the buyers premises) will be arranged by buyer. Quotation should, therefore, be exclusive of the insurance charges.

21. **LATE DELIVERY AND LIQUIDATED DAMAGES:** Liquidity damage equivalent to half percent per week or part thereof on the value of the undelivered goods may be realized from the supplier/ contractor.

In specific case where delay in delivery is likely to cause dislocation of work and financial loss, a higher rate of liquidity damage, not over one percents per week or part thereof on the value of the undelivered goods may be charged.

In case of delay in delivery beyond one hundred days for importable item(s), purchase order/ contract may be cancelled in which case the performance guarantee shall be forfeited. On genuine reasons/ grounds beyond the control of the suppliers/contractor, extension of delivery period may, however, be granted by the purchase approving authority without realization of any liquidated damage provided validity of their performance guarantee cover such extension.

GENUINENESS OF THE PRINCIPAL SUPPLIERS:

The Principal supplier shall have to submit a certificate from the supplier's bankers regarding the bonafide and standing of the supplier.

AND/OR

Certificate from the chamber of Commerce and Industry from the supplier's country regarding its standing as an exporter/manufacturer along with the proforma invoice.

23. **QUALITY CERTIFICATE:** Tenderers should furnish guarantee from the original Manufacturers/ Suppliers/ Sole Agent to the effect that the goods will be of exact specification as laid down in the tender and in the event of placing order with the tenderers the Manufacturers/ Suppliers or their Sole agents will supply materials to them (Tenderers) for supply of the same against their tender. Tenderers for all purposes shall be responsible for the acts of omission and commission of their principal.

24. **EARNEST MONEY:** All bidders must submit earnest money for an amount equivalent to 01% (one percent) of the actual quoted CFR value of the stores either by Bangladesh currency or equivalent to any International Trading currencies favoring the Dockyard & Engineering Works Ltd, in bank draft/pay order /bank guarantee/ which will be issued by any scheduled bank of Bangladesh (Not applicable to enlisted suppliers). In case bank guarantee is submitted, the same should remain valid for 60 days from the date of opening of the tender. Neither any inland cheque for a cheque/ guarantee issue by bank of foreign countries will be entertained. Earnest money is liable to forfeiture if

the bidder for any reason whatsoever withdraws or modifies its offer or violets the terms after opening of the tender and before expiry of the validity of the offer, or fails to furnish the required performance bond with in the stipulated time after issuance of letter of intent. Bid bond/ earnest money of unsuccessful tenderer would be returned once a decision of the tender is made. A tender not accompanied by earnest money/ bid bond would be rejected as non-responsive. Bid bond of the successful bidder shall be returned after furnishing performance bond. A specimen copy of bid bond is enclosed herewith as annex-C.

25. **PERFORMANCE BOND:** The successful tenderer will be required to furnish performance bond to the extent 05% of the total CFR value either in the form of pay order/ bank draft/ bank guarantee for the satisfactory execution of the order. The performance bond should be given by any Bangladesh Commercial Bank under their (Bank) full risk in liabilities. If the same is submitted by bank guarantee it must remain valid material receiving report (MRR) from our main Store. Performance bond must be furnished within 10(ten) days from the date of letter of intent. It will be liable for forfeiture if the supplier fails to supply the goods within the specified time or commits any breach of contract. A specimen copy of performance bond is enclosed herewith Annex-D.

26. **WARRANTY:** 18 (Eighteen) Months warranty from the date of acceptance is to be provided. Total 05% of contract price is to be cut as security money which will be paid after the end of warranty period or Bank Guarantee against the same amount is to be provided until the end of warranty period.

27. **INDEMNITY:** The supplier have to indemnity the buyer against all claims which may be made in respect of the stores for infringement of any right protected by patent, registration of design etc and shall take all risk of accident or damage which may cause failure of the supply from whatever cause arising and take entire responsibility for the sufficiency of the means used by the supplier for the fulfillment of the contract.

28. **INCREASE OR DECREASE IN QUANTITY OF CONTRACT:** The buyer reserves the right at the time of award of contract, with no adjustment in unit price (bid) to increase or decrease the quantity tendered. The buyer also reserves the right to accept or reject any or all the tenders or to waive any informality, minor deviation or omission.

Award would be made to the bidder whose responsive bid determined to be the lowest evaluated bid who meets specification and other terms and conditions of the tender document.

29. The buyer has the option to place orders either on CFR Chattogram/ CPT Hazrat Shahjalal International Airport Bangladesh.

30. Should the suppliers be adjudged insolvent, the buyer shall have the power to terminate the contract.

31. **DISQUALIFICATION OF OFFER :**

a. Telex/ E-mail/ Swift/ Fax offer may be considered provided signed copy of proforma invoice is received within 24 (twenty four) hours from the opening of the tender.

b. Any addition or alternator to the specification or rate quoted by a firm in the tender after not only be ignored but should also render the firms liable to disqualification.

c. Any tender received late and not strictly confirming to terms and conditions prescribed in the tender documents not accompanied with the requisite earnest money and the money receipt of tender price and registration certificate may be liable for rejection.

32. **SPECIFIC EXPERIENCE:** The principal supplier must have experience of supply of similar goods in Bangladesh and understand the Letter of Credit (LC) process of Bangladesh. The supplier must provide at least 2 letter of credit (LC) references of previous supply record to Bangladesh Buyer to prove its business relation and reliability in Bangladesh market.

33. **TAXES AND OTHER CHARGES:**

a. All duties, taxes and other charges levied on the goods by authorities in buyers country shall be borne by the buyer and shall not be included in the bid price.

b. Charges of such nature in seller's country or in any country other than the buyer country shall be borne by the seller's.



34. **BREACH OF CONTRACT:** On any breach of contract by the seller, the buyer may recover the actual loss suffered and the amount may be realized by encasing the performance guarantee.

35. **UNDER TAKING:** The Manufacture/ Suppliers shall issue a certificate to be effect that they have shipped the goods strictly conforming to the quality and quantity stipulated in the purchase order and that they will replace defective materials and replenish the short supplied quantity free of charge on demand by the buyers. Such certificate shall form and integral part of the original shipping documents required to be submitted to the bank for drawing of payment against letter of credit by the supplier.

36. **APPLICABLE LAW:** The purchase order shall be interpreted in accordance with the law of the buyer's country.

37. **FORCE MAJEURE:** Should any circumstance arise preventing either of the contracting parties from wholly or partly carrying its obligation under the present contract, namely natural calamities, Strikes, Riots, fire, acts of God, war, Military operation of any Nature, blockades any unforeseen event which is beyond human control, the period stipulated for the performance of this contract shall be extended for as long as the circumstances prevail. Provided that in the even of these circumstances continuing for more than 30(thirty) days, either party shall have the right to refuse to fulfill its obligation under these contract and in such case neither party shall be entitled to indemnification of any loss it may sustain. The party unable to carry out its obligation under this contract shall immediately advise the other party of the commencement and the termination of the circumstances preventing the performance of the contract. A certificate issued by the Chamber of Commerce of the sellers of the buyer's country shall be sufficient proof of the existence and duration of such circumstances.

38. **ARBITRATION:** In the event any dispute or difference arising out of the terms and conditions as specified above, the same shall be referred to the award of a sole Arbitrator appointed by the parties on mutual agreement, failing which it shall be referred to the award of the two arbitrators, from each side (buyer and seller) or in the case of disagreement between the two arbitrators to the award of an umpire to be appointed by the two arbitrators in writing before proceeding on the reference of the decision of the sole arbitrator or of two Arbitrators in the writing before proceeding on the reference of the decision of the sole arbitrator or of two arbitrator or the umpire as the case may be shall final, conclusive and binding upon the parties. The provisions of the arbitration Act 2001 and rules thereunder and any statutory modification thereof shall apply to the said arbitration. The place of arbitration shall be Dhaka, Bangladesh any statutory modification enactment thereof for the time being in force in Bangladesh shall apply to the arbitration proceeding. The above terms and conditions are not absolute, the Dockyard & Engineering works Ltd, Bangladesh Navy, reserves the right to incorporate additional terms and condition, if necessary. The Dockyard Engineering & works Ltd, BN also is not bound to accept the lowest tender and reserves the right to reject any or all tenders without assigning any reason whatsoever.



Yours faithfully

Ruddraw Mohammad Nabi
Lt Commander BN
For Managing Director

Enclosures:

- A. Format of price Schedule (Annex – A)
- B. Technical Specification (Annex-B)
- C. Format of Bank Guarantee in Lieu of Earnest money (Annex-C)
- D. Format of performance Bank guarantee (Annex-D)

- 08 pages
- 13 Pages
- 01 page
- 01 page

Dockyard & Engineering Works Ltd

Bangladesh Navy

Sonakanda, Bandar, Narayanganj

SCHEDULE TO TENDER NO: 06.02.6758.165.07.193.25. 2196 DATE 13 APRIL 2025 DUE FOR RETURN BY 07 MAY 2025 AT 12.15 HOURS

Ser	DESCRIPTION	UNIT	QTY	UNIT PRICE (FOB)	TOTAL PRICE (FOB)
1	50mm Wall Panel Core Material: Aluminium honeycomb Exterior Surface: PVC or Galvanized steel Class Division: B0 Thickness: 50 mm Width: 500-600 mm Length: 2500 mm. Color: As per BN choice (As Technical Specification Annex-B)	m ²	400		
2	25mm Wall Panel Core Material: Aluminium honeycomb Exterior Surface: PVC or Galvanized steel Class Division: B0 Thickness: 25 mm Width: 500-600 mm Length: 2500 mm. Color: As per BN choice (As Technical Specification Annex-B)	m ²	800		
3	25mm Wall Panel (Galley) Core Material: Aluminium honeycomb Exterior Surface: SS 316 Sheet Class Division: B0 Thickness: 25 mm Width: 500-600 mm Length: 2500 mm. (As Technical Specification Annex-B)	m ²	100		



4	Ceiling Panel Core Material: Aluminium honeycomb Exterior Surface: PVC or Galvanized steel Fire Class Division: B0 Thickness: 50 mm Width: 500-600 mm Length: 2500 mm. Color: As per BN choice (As Technical Specification Annex-B)	m ²	500		
5	Ceiling Panel (Galley) Core Material: Aluminium honeycomb Exterior Surface: SS 316 Sheet Fire Class Division: B0 Color: As per BN choice Thickness: 50 mm Width: 500-600 mm Length: 2500 mm. (As Technical Specification Annex-B)	m ²	50		
6	Wall Panel Fitting Accessories				
a	U Profile 25mm Material: PVC/ Galvanized Steel Drawing reference: Connection D (As Technical Specification Annex-B)	m	1000		
b	U Profile 50mm Material: PVC/ Galvanized Steel Drawing reference: Connection D (As Technical Specification Annex-B)	m	400		
c	Corner Profile – 25×25mm Material: PVC/ Galvanized Steel Drawing reference: Connection C/D (As Technical Specification Annex-B)	m	400		
d	Corner Profile – 50×50 mm Material: PVC/ Galvanized Steel Drawing reference: Connection C/D (As Technical Specification Annex-B)	m	200		
e	Outside Corner Profile – 25/50mm Material: PVC/ Galvanized Steel (As Technical Specification Annex-B)	m	50		
f	Outside Straight Profile – 25/50mm Material: PVC/ Galvanized Steel (As Technical Specification Annex-B)	m	50		



g	Outside Corner Profile(Angular) – 50×50 mm Angle: 120 degree Material: PVC/ Galvanized Steel (As Technical Specification Annex-B)	m	50		
h	Outside Corner Angle – 25x25mm Material: PVC/ Galvanized Steel (As Technical Specification Annex-B)	m	200		
i	Outside Corner Angle – 50×50 mm Material: PVC/ Galvanized Steel (As Technical Specification Annex-B)	m	200		
7	Ceiling Panel Fitting Accessories				
a	Supporting Angle – 30 mm Material: PVC/ Galvanized Steel (As Technical Specification Annex-B)	m	600		
b	Supporting Tee – 30 mm Material: PVC/ Galvanized Steel (As Technical Specification Annex-B)	m	800		
c	Connecting Bolts and Nuts Material: PVC/ Galvanized Steel (As Technical Specification Annex-B)	m	600		
8	Panel Doors – A60 Fire rating: A60 Clear opening: 700×1800 mm Handle: Right (R) Self Closure: Yes Gas tight: Yes Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	01		
9	Panel Doors – A60 Fire rating: A60 Clear opening: 700×1600 mm Handle: Right (R) Self Closure: Yes Gas tight: Yes Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	01		



10	Panel Doors – A0 Fire rating: A0 Clear opening: 750×1800 mm Handle: Right (R) Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	01		
11	Panel Doors – A0 Fire rating: A0 Clear opening: 700×1800 mm Handle: Right (R) Self Closure: Yes Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	01		
12	Panel Doors – A0 Fire rating: A0 Clear opening: 700×1900 mm Handle: Right (R) Self Closure: Yes Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	01		
13	Panel Doors – A0 Fire rating: A0 Clear opening: 700×1900 mm Handle: Left (L) Self Closure: Yes Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	01		
14	Panel Doors – A0 Fire rating: A0 Clear opening: 700×1800 mm Handle: Left (L) Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	01		



15	Panel Doors – A0 Fire rating: A0 Clear opening: 700×1600 mm Handle: Left (L) Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	01		
16	Panel Doors – A0 Fire rating: A0 Clear opening: 700×1600 mm Handle: Right (R) Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	01		
17	Panel Doors – A0 Fire rating: A0 Clear opening: 600×1600 mm Handle: Right (R) Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	05		
18	Panel Doors – A0 Fire rating: A0 Clear opening: 600×1600 mm Handle: Left (L) Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	02		
19	Panel Doors – B0 Fire rating: B0 Clear opening: 700×1900 mm Handle: Left (L) Window: Yes Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	01		



20	Panel Doors – B0 Fire rating: B0 Clear opening: 700×1900 mm Handle: Right (R) Window: Yes Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	01		
21	Panel Doors – B0 Fire rating: B0 Clear opening: 700×1900 mm Handle: Right (R) Vent grill: Yes Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	02		
22	Panel Doors – B0 Fire rating: B0 Clear opening: 700×1900 mm Handle: Left (L) Vent grill: Yes Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	03		
23	Panel Doors – B0 Fire rating: B0 Clear opening: 700×1900 mm Handle: Right (R) Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	04		
24	Panel Doors – B0 Fire rating: B0 Clear opening: 650×1900 mm Handle: Left (L) Surface: PVC or Galvanized steel Door frame: Galvanized or Stainless steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	01		



25	Wall Inspection Hatches Fire rating: B0 Size: 1500×450 mm Handle: Right (R) Surface: PVC or Galvanized steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	03		
26	Wall Inspection Hatches Fire rating: B0 Size: 1500×450 mm Handle: Left (L) Surface: PVC or Galvanized steel Color: As per BN choice (As Technical Specification Annex-B)	Nos	03		
FOB including local agent commission as per manufacture/ principal/ supplier/ quotation/ proforma invoice Price					
Freight Cost					
CFR Chattogram / CPT Hazrat Shahjalal International Airport, Dhaka Bangladesh Total Price					

Inword:



TERMS OF CONDITIONS:

01	Name and Address of Manufacturer's	To be mentioned	
02	Name and Address of principal	To be mentioned.	
03	Name and Address of Local Agent	To be mentioned.	
04	Name of the Manufacturer & Authorization Certificate	To be mentioned.	
05	Country of Origin	To be mentioned.	
06	Country of Manufacturer	To be mentioned.	
07	Certification	Certificate to be provided as per Technical Specification.	
08	Offer validity	60 days from the date of opening	
09	Port of shipment	To be mentioned	
10	Part Shipment	Not allowed	
11	Transshipment	Allowed	
12	Shipment / Delivery	45 days after receiving LC.	
13	Original Proforma Invoice	To be provided	
14	Earnest Money	To be provided	
15	Payment	a. 80% of total Letter of Credit (LC) value is to be paid on production of necessary shipping documents. b. Remaining 20% of Letter of Credit (LC) value will be paid after received material receiving report from our main Store.	
16	All other terms and conditions as laid down in tender documents to be followed.		



Your quotation No:
the tendered:
Date:

Signature, name and address

TECHNICAL SPECIFICATION

SL No	Technical Description, Specification and standard required	UNIT	QTY	Specification offered by Bidder
1.	50mm Wall Panel Core Material: Aluminium honeycomb Exterior Surface: PVC or Galvanized steel Class Division: B0 Thickness: 50 mm Width: 500-600 mm Length: 2500 mm. Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate HS Code : To be mentioned	m ²	400	
2.	25mm Wall Panel Core Material: Aluminium honeycomb Exterior Surface: PVC or Galvanized steel Class Division: B0 Thickness: 25 mm Width: 500-600 mm Length: 2500 mm. Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate HS Code : To be mentioned	m ²	800	
3.	25mm Wall Panel (Galley) Core Material: Aluminium honeycomb Exterior Surface: SS 316 Sheet Class Division: B0 Thickness: 25 mm Width: 500-600 mm Length: 2500 mm. Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate HS Code : To be mentioned	m ²	100	
4.	Ceiling Panel Core Material: Aluminium honeycomb Exterior Surface: PVC or Galvanized steel Fire Class Division: B0 Thickness: 50 mm Width: 500-600 mm Length: 2500 mm. Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate	m ²	500	
5.	Ceiling Panel (Galley) Core Material: Aluminium honeycomb Exterior Surface: SS 316 Sheet Fire Class Division: B0 Color: As per BN choice Thickness: 50 mm Width: 500-600 mm Length: 2500 mm. Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate HS Code : To be mentioned	m ²	50	



6.	Wall Panel Fitting Accessories			
a.	U Profile 25mm Material: PVC/ Galvanized Steel Drawing reference: Connection D Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate HS Code : To be mentioned	m	1000	
b.	U Profile 50mm Material: PVC/ Galvanized Steel Drawing reference: Connection D Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate HS Code : To be mentioned	m	400	
c.	Corner Profile – 25×25mm Material: PVC/ Galvanized Steel Drawing reference: Connection C/D Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate HS Code : To be mentioned	m	400	
d.	Corner Profile – 50x50 mm Material: PVC/ Galvanized Steel Drawing reference: Connection C/D Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate HS Code : To be mentioned	m	200	
e.	Outside Corner Profile – 25/50mm Material: PVC/ Galvanized Steel Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	m	50	
f.	Outside Straight Profile – 25/50mm Material: PVC/ Galvanized Steel Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate HS Code : To be mentioned	m	50	
g.	Outside Corner Profile(Angular) – 50×50 mm Angle: 120 degree Material: PVC/ Galvanized Steel Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate	m	50	
h.	Outside Corner Angle – 25×25mm Material: PVC/ Galvanized Steel Country of origin: To be mentioned Country of Manufacturer: To be mentioned HS Code : To be mentioned	m	200	
i.	Outside Corner Angle – 50×50 mm Material: PVC/ Galvanized Steel Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate HS Code : To be mentioned	m	200	
7.	Ceiling Panel Fitting Accessories			
a.	Supporting Angle – 30 mm Material: PVC/ Galvanized Steel Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate HS Code : To be mentioned	m	600	

b.	Supporting Tee – 30 mm Material: PVC/ Galvanized Steel Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate HS Code : To be mentioned	m	800	
c.	Connecting Bolts and Nuts Material: PVC/ Galvanized Steel Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Manufacturer Certificate HS Code : To be mentioned	m	600	
8.	Panel Doors – A60 Fire rating: A60 Clear opening: 700×1800 mm Handle: Right (R) Self Closure: Yes Gas tight: Yes Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned	Nos	01	
9.	Panel Doors – A60 Fire rating: A60 Clear opening: 700×1600 mm Handle: Right (R) Self Closure: Yes Gas tight: Yes Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned	Nos	01	
10.	Panel Doors – A0 Fire rating: A0 Clear opening: 750×1800 mm Handle: Right (R) Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned	Nos	01	
11.	Panel Doors – A0 Fire rating: A0 Clear opening: 700×1800 mm Handle: Right (R) Self Closure: Yes Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned	Nos	01	

	Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned			
12.	Panel Doors – A0 Fire rating: A0 Clear opening: 700×1900 mm Handle: Right (R) Self Closure: Yes Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned	Nos	01	
13.	Panel Doors – A0 Fire rating: A0 Clear opening: 700×1900 mm Handle: Left (L) Self Closure: Yes Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned	Nos	01	
14.	Panel Doors – A0 Fire rating: A0 Clear opening: 700×1800 mm Handle: Left (L) Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned	Nos	01	
15.	Panel Doors – A0 Fire rating: A0 Clear opening: 700x1600 mm Handle: Left (L) Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned	Nos	01	
16.	Panel Doors – A0 Fire rating: A0 Clear opening: 700×1600 mm Handle: Right (R) Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel	Nos	01	



	Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan			
17.	Panel Doors – A0 Fire rating: A0 Clear opening: 600×1600 mm Handle: Right (R) Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned	Nos	05	
18.	Panel Doors – A0 Fire rating: A0 Clear opening: 600×1600 mm Handle: Left (L) Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned	Nos	02	
19.	Panel Doors – B0 Fire rating: B0 Clear opening: 700×1900 mm Handle: Left (L) Window: Yes Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned	Nos	01	
20.	Panel Doors – B0 Fire rating: B0 Clear opening: 700x1900 mm Handle: Right (R) Window: Yes Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned	Nos	01	
21.	Panel Doors – B0 Fire rating: B0 Clear opening: 700×1900 mm Handle: Right (R) Vent grill: Yes Surface: PVC or Galvanized steel	Nos	02	

	Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned			
22.	Panel Doors – B0 Fire rating: B0 Clear opening: 700×1900 mm Handle: Left (L) Vent grill: Yes Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned	Nos	03	
23.	Panel Doors – B0 Fire rating: B0 Clear opening: 700×1900 mm Handle: Right (R) Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned	Nos	04	
24.	Panel Doors – B0 Fire rating: B0 Clear opening: 650×1900 mm Handle: Left (L) Surface: PVC or Galvanized steel Door frame:Galvanized or Stainless steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate Reference: Doors & Windows Plan HS Code : To be mentioned	Nos	01	
25.	Wall Inspection Hatches Fire rating: B0 Size: 1500×450 mm Handle: Right (R) Surface: PVC or Galvanized steel Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate HS Code : To be mentioned	Nos	03	
26.	Wall Inspection Hatches Fire rating: B0 Size: 1500×450 mm Handle: Left (L) Surface: PVC or Galvanized steel	Nos	03	



	Color: As per BN choice Country of origin: To be mentioned Country of Manufacturer: To be mentioned Certification: Class Type Approved Certificate HS Code : To be mentioned			
--	--	--	--	--


Compliance Statement. A compliance statement (in a tabular format) fulfilling all the requirement of the tender is to be submitted for evaluation of the quotations. Stating mere '**Yes**' or '**No**' or '**Complied**' will not suffice and detailed description/ information as required is to be given. An incomplete compliance statement may attribute to cancellation of the offer. If any clause of this specification does not commensurate with offered laser guided alignment machine, the deviation has to be spelt out clearly.

Enclosures:


1. Sample Drawing- Aluminum Honey Comb Panel 25 & 50 mm - 01 page
2. Sample Drawing- Aluminum Honey Comb Ciling 50 mm - 01 page
3. Sample Drawing- Wall Panel Fitting Accessories - 02 pages
4. Sample Drawing- Ceiling Panel Fitting Accessories - 01 page
5. Sample Drawing- Doors & Windows Plan - 01 page





Sample Drawing - Aluminium Honeycomb Panel 25 & 50 mm



Connection Method





Sample Drawing - Aluminium Honeycomb Ceiling 50 mm





Sample Drawing - Wall Panel Fitting Accessories



a. Sample – U Profile 25 mm

NOOKS P01 25 mm P07 50 mm		Galvanised covered with PVC T = 0.6 mm L. max. = 4000 mm X° = 90° X= P01 : 27 mm P07 : 52 mm Weight: P01 : 0.48 Kg/m P07 : 0.63 Kg/m Application: nooks between wall panels		
--	---	--	--	---



b. Sample – U Profile 50 mm

NOOKS P01 25 mm P07 50 mm		Galvanised covered with PVC T = 0.6 mm L. max. = 4000 mm X° = 90° X= P01 : 27 mm P07 : 52 mm Weight: P01 : 0.48 Kg/m P07 : 0.63 Kg/m Application: nooks between wall panels		
--	---	--	--	---




c. Sample – Corner Profile 25x25 mm

CORNERS P27 25 mm P28 50 mm		Galvanised covered with PVC T = 0.6 mm L. max. = 4000 mm X° = 90° X: P27 : 25 mm P28 : 50 mm Y: P27 : 55 mm P28 : 80 mm Weight: P27 : 1.02 Kg/m P28 : 1.38 Kg/m Application: corners between wall panels		
--	--	---	---	--




d. Sample – Corner Profile 50x50 mm

CORNERS P27 25 mm P28 50 mm		Galvanised covered with PVC T = 0.6 mm L. max. = 4000 mm X° = 90° X: P27 : 25 mm P28 : 50 mm Y: P27 : 55 mm P28 : 80 mm Weight: P27 : 1.02 Kg/m P28 : 1.38 Kg/m Application: corners between wall panels		
--	---	---	--	---




e. Sample – Corner Profile 25/50 mm

CORNERS P19 25/50 mm		Galvanised covered with PVC T = 0.6 mm L. max. = 4000 mm X° = 90° Weight = 2.80 Kg/m Application: corners between 25/50 mm panels		
--	---	---	--	---




f. Sample – Straight Profile 25/50 mm

STRAIGHT ENCOUNTERS P20 25/50 mm		Galvanised covered with PVC T = 0.6 mm L. max. = 4000 mm Weight = 1,78 Kg/m Application: straight encounters between 25/50 mm panels		
--	---	--	--	---



g. Sample Corner Profile (Angular) -50x50 mm

CORNERS P05 25 mm P11 50 mm		Galvanised covered with PVC T = 0.6 mm L. max. = 4000 mm X° ≠ 90° D = variable X: P05 : 29 mm Y: P05: 25 mm P11: 53 mm P11: 24 mm Average weight: P05 : 2,36 Kg/m P11: 2,40 Kg/m Application: corners between wall panels		
--	---	--	--	---













h. Sample Corner Angle 25x25 mm

INTERIOR P21 Interior		Galvanised covered with PVC T = 0.6 mm L. max. = 4000 mm X = variable Y = variable Weight = variable		
---	--	---	---	--

i. Sample – Corner Angle 50x50 mm

EXTERIOR P22 Exterior		Galvanised covered with PVC T = 0.6 mm L. max. = 4000 mm X = variable Y = variable Weight = variable		
---	---	---	--	---

Sample Drawing - Ceiling Panel Fitting Accessories


a.	SUPPORTING T01  Galvanised covered with PVC T = 1.2 mm L max = 3000 mm Weight = 0.68 Kg/m  
b.	SUPPORTING T02  Galvanised covered with PVC T = 1.2 mm L max = 3000 mm Weight = 1.54 Kg/m  
c.	  ① T10 Connecting profile between T02  ② T20 Connecting profile between T02 & walls  ③ T25 Hanging profile for T02  ④ Threaded Rod and Nut available on request  ⑤ Silentblock available on request






DECK	LOCATION	POSITION NO.	DOCK TYPE	CEILING HEIGHT	SELF CLOSING	VENT GRILL	WIND WINDOW	DIS TRIP
WHEELS DECK	FRS-FR11	00-01	B-0	700x1100	130	R		
WHEELS DECK	FRS-FR10	00-02	B-0	700x1100	130	R	✓	
WHEELS DECK	FRS-FR10	00-03	B-0	700x1100	130	L	✓	
WHEELS DECK	FR11-FR12	00-04	B-0	700x1100	130	R		
WHEELS DECK	FR11-FR12	00-05	B-0	700x1100	130	L	✓	
WHEELS DECK	FR13-FR14	00-06	A-0	700x1100	200	R	✓	
WHEELS DECK	FRS-FR6	00-07	A-0	600x1000	400	L		
WHEELS DECK	FRS-FR10	00-08	A-0	600x1000	400	R		
WHEELS DECK	FRS-FR7	00-09	A-0	600x1000	400	R		
MAN DECK	FRS-FR9	VP-01	B-0	700x1100	130	L	✓	
MAN DECK	FR8	VP-02	B-0	700x1100	130	R	✓	
MAN DECK	FR8	VP-03	A-0	700x1100	200	R		
MAN DECK	FR7	VP-04	A-0	700x1100	200	L		
MAN DECK	FR10-FR11	VP-05	B-0	700x1100	130	R		

PANEL DOORS										
DECK	LOCATION	POSITION NO.	DOOR TYPE	CLACKING SIZE	SILL HEIGHT	HANDLE	SELF CLOSING	VE N° OR L	WITH WINDOW	JOB TIGHT
MAIN DECK	FR11-FR12	MD-26	B-O	700x1900	130	R				
MAIN DECK	FR13-FR13	MD-27	B-O	700x1900	100	R			✓	
MAIN DECK	FR13-FR13	MD-28	A-O	700x1900	130	R	✓			
MAIN DECK	FR10-FR11	MD-29	A-O	700x1920	100	L	✓			
MAIN DECK	FR10-FR10	MD-30	B-O	600x1920	130	L				
MAIN DECK	FR0	MD-31	B-O	700x1920	130	L		✓		
MAIN DECK	FR5	MD-32	A-O	600x1620	400	R				
MAIN DECK	FR6-FR6	MD-33	A-O	600x1620	400	R				
MAIN DECK	FR6-FR7	MD-34	A-O	600x1620	400	R				
MAIN DECK	FR7-FR8	MD-35	A-O	600x1620	400	L				
TANKTOP	FR10-FR11	TD-31	A-O	700x1600	400	R				
TANKTOP	FR13-FR14	TD-32	A-O	700x1600	200	R				
TANKTOP	FR14	TD-33	A-O	700x1600	200	L				
TANKTOP	FR3	TD-34	A-80	700x1600	200	R	✓			✓




MAIN DECK



ANXTOP

02	02	Rev. By.	Revision Note
01	01	Date	
			
70 ton SELF PROPELLER CRANE BARGE			
TBN-SPCB-04			
DOORS & WINDOWS PLAN			
Design	Teoman TORBAK	SHIPYARD	Dockyard/Engineering Work Ltd.
Drawn	Orkun Tuna ERZAN	Owner	Bangladesh Navy
Appr eval	Almet Bunk/ KABASAKAL	Paper Size & Class/ID	BV / 48-164P
ALL DIMENSIONS TO BE CONFORMED TO THE LATEST REVISIONS OF THE BUREAU OF STANDARDS (B.S.) AND THE INTERNATIONAL STANDARDS (I.S.) AND THE NATIONAL STANDARDS (N.S.) OF BANGLADESH.		Hull No	NB 252
ALL DIMENSIONS TO BE CONFORMED TO THE LATEST REVISIONS OF THE BUREAU OF STANDARDS (B.S.) AND THE INTERNATIONAL STANDARDS (I.S.) AND THE NATIONAL STANDARDS (N.S.) OF BANGLADESH.		Project No	SPCB-04
ALL DIMENSIONS TO BE CONFORMED TO THE LATEST REVISIONS OF THE BUREAU OF STANDARDS (B.S.) AND THE INTERNATIONAL STANDARDS (I.S.) AND THE NATIONAL STANDARDS (N.S.) OF BANGLADESH.		Drawing No	0-27
ALL DIMENSIONS TO BE CONFORMED TO THE LATEST REVISIONS OF THE BUREAU OF STANDARDS (B.S.) AND THE INTERNATIONAL STANDARDS (I.S.) AND THE NATIONAL STANDARDS (N.S.) OF BANGLADESH.		Scale	1/75
ALL DIMENSIONS TO BE CONFORMED TO THE LATEST REVISIONS OF THE BUREAU OF STANDARDS (B.S.) AND THE INTERNATIONAL STANDARDS (I.S.) AND THE NATIONAL STANDARDS (N.S.) OF BANGLADESH.		Issue Date	11/2004

WINDOW AND SCUTTLES		LOCATION	NO.	CMPS ON FLOOR	CMPS OFF FLOOR
DECK		F35-F36	W-1	635x450	10 mm
DRIFTERS DECK		F38-F37	W-2	635x450	10 mm
DRIFTERS DECK		F68-F79	W-3	635x450	10 mm
DRIFTERS DECK		F77-F78-1	W-4	635x450	10 mm
DRIFTERS DECK		F712-F713	W-5	635x450	10 mm
DRIFTERS DECK		F714	W-6	635x450	10 mm
DRIFTERS DECK		F715	W-7	635x450	10 mm
DRIFTERS DECK		F716	W-8	635x450	10 mm
DRIFTERS DECK		F717-F718	W-9	635x450	10 mm
DRIFTERS DECK		F719-F720	W-10	635x450	10 mm
DRIFTERS DECK		F721-F722	W-11	635x450	10 mm
DRIFTERS DECK		F723-F726	W-12	635x450	10 mm
MAN DECK		F73	W-13	635x450	10 mm
MAN DECK		F75-F76	W-14	635x450	10 mm
MAN DECK		F77-F77-2	W-15	635x450	10 mm
MAN DECK		F78	W-16	635x450	10 mm
MAN DECK		F79-F76	W-17	635x450	10 mm
MAN DECK		F74-F75	W-18	635x450	10 mm
MAN DECK		F73	W-19	635x450	10 mm
MAN DECK		800-2	W-20	635x450	10 mm



- [illegible]

BANK GUARANTEE IN LIEU OF EARNEST MONEY

Guarantee No _____
Dated _____
For (mention amount) _____

Dear Sir,

Whereas (Name of tender floating organization) under tender No-----
-----dated -----inviting tenders for supplies of (described
supplies) has agreed to waive the requirement of cash deposit /call deposit of US\$/ £/ Tk-----
-----being %1(one percent) of the value of supplies as earnest money by the tender for
making in accordance with the terms and conditions of the tenderer and the tenderer shall provide a
bank guarantee for payment for the said amount .

And whereas the tenderer M/S,----- of -----has
requested us (name of bank) of -----to issue a guarantee for payment of the
amount of US\$/ £/ Tk-----when called upon.

In consideration of the aforesaid, we (name of bank) of ----- hereby undertake
and guarantee due performance of the tender by tenderer M/S----- of ----- and
unconditionally and absolutely bind ourselves :

1. To make payment without any question whatsoever of US\$/ £/ Tk-----to ----
----- (name of organisation) or as direct by the organisation immediately on receipt of demand from
the said , organisation in writing , in the event be tenderer fail to perform the tender , it is expressly
understood that the organisation shall be the sole judge for deciding whether the tender has
performed the tender and fulfill the terms and condition of the tender.

2. It is specially stipulated and understood by the bank that any grant of time or indulgence to the
tenderer without reference to the bank shall not in any manner tent to absolve the bank from its
liability to make the payment stipulated above under this guarantee.

3. The bank's commitment under this guarantee is limited to and amount of US\$/ £/ Tk-----
-----(-) only .

4. The guarantee will remain valid up to -----

Yours faithfully

(seal of the bank)

-----Bank



PERFORMANCE BANK GUARANTEE

Managing Director
Dockyard & Engineering works Ltd
Bangladesh Navy
Sonakanda, Bandor, Narayanganj

Bank Guarantee no _____
Dated _____
For (Mention amount) _____

Dear Sir,

Whereas Dockyard & Engineering works Ltd, Bangladesh Navy, Sonakanda, Bandor, Narayanganj, hereinafter referred to as the buyers proposed to enter in to a contract through a letter of intent/Purchase Order No _____ dated _____ hereinafter called the contract with (name of the sellers) of _____ hereinafter referred to as the sellers for the supply of (described supplies) in accordance with terms and conditions of the contract. And whereas the sellers have requested us (name of the bank) to issue a guarantee for an amount of **US\$/ £/ EURO/ Tk.** _____ Being 5% of the CFR value of the supplies.

In Consideration aforesaid (name of bank) _____ here by undertake and guarantee due observance and performance of the terms and condition of the contract by the sellers and we unconditionally and absolutely bind ourselves.

To make payment on demand, without demur and without reference to the sellers, of US\$/ £/ EURO/ Tk. _____ to the buyers or as directed by the buyers in writing, if the sellers shall fail to perform the contract of fulfill the terms and conditions thereof.

To keep guarantee valid and in force for 4 (four) months beyond the date of shipment but extendable if so required by the buyers.

The guarantee is unconditional and it is expressly understood that the buyers shall be sole judge for deciding whether the sellers have performed the contract and fulfilled the terms and conditions thereof.

It is specifically stipulated and understood by us (name of bank) that any grant of time of indulgence to the sellers without reference to us shall not in any manner tend to absolve us from our liability to make payment as stipulated above under the guarantee.

our commitment under this guarantee is limited to an amount of US\$/£/EURO/Tk. _____ only.

Yours faithfully

(seal of the bank)

-----Bank

