



ডকইয়ার্ড এন্ড ইঞ্জিনিয়ারিং ওয়ার্কস লিমিটেড

বাংলাদেশ নৌবাহিনী

সোনাকান্দা, বন্দর, নারায়ণগঞ্জ

Web: www.dewbn.gov.bd, Email: commercial@dewbn.gov.bd

দরপত্র বিজ্ঞপ্তি

ফাইল নং. ০৬.০২.৬৭৫৮.১৬৫.০৭.১৯৪.২৬. ১০

তারিখ ০১ জুলাই ২০২৬

অত্র প্রতিষ্ঠানের পেইন্ট শপের জন্য Dew Point Machine এবং Surface Profile Gauge সরবরাহের নিমিত্তে তালিকাভুক্ত ঠিকাদার/ সরবরাহকারী/ উৎপাদনকারী প্রতিষ্ঠান/ উৎপাদনকারীর নিয়োগকৃত ডিলার/ আমদানীকারকের নিকট হতে সীলমোহরকৃত খামে নিম্নে উল্লিখিত তারিখে সীমিত দরপত্র আহ্বান করা যাচ্ছে :

১।	ক্রয়কারী প্রতিষ্ঠানের নাম	ডকইয়ার্ড এন্ড ইঞ্জিনিয়ারিং ওয়ার্কস লিমিটেড
২।	ক্রয়তথ্য মাল্যামল	Dew Point Machine & Surface Profile Gauge (০১-০২ নম্বর)
৩।	ক্রয়ের প্রক্রিয়া	সীমিত দরপত্রের মাধ্যমে
৪।	উৎস	নিজস্ব তহবিল
৫।	দরপত্র সংগ্রহের শেষ তারিখ	১২ জুলাই ২০২৬ সকাল ১০:০০ ঘটিকা পর্যন্ত
৬।	দরপত্র গ্রহণের শেষ তারিখ ও সময়	১২ জুলাই ২০২৬ সকাল ১০:৪৫ ঘটিকা
৭।	দরপত্র খোলার তারিখ ও সময়	১২ জুলাই ২০২৬ সকাল ১১:০০ ঘটিকা
৮।	দরপত্র গ্রহণের স্থান	ডকইয়ার্ড এন্ড ইঞ্জিনিয়ারিং ওয়ার্কস লিমিটেড
	ক। দরপত্র সংগ্রহের স্থান	ডকইয়ার্ড এন্ড ইঞ্জিনিয়ারিং ওয়ার্কস লিমিটেড এর বাণিজ্যিক বিভাগে
	খ। দরপত্র গ্রহণকারী প্রতিষ্ঠানের নাম	ডকইয়ার্ড এন্ড ইঞ্জিনিয়ারিং ওয়ার্কস লিমিটেড
	গ। দরপত্র খোলার প্রতিষ্ঠানের নাম	(১) ডকইয়ার্ড এন্ড ইঞ্জিনিয়ারিং ওয়ার্কস লিমিটেড, বন্দর, নারায়ণগঞ্জ। (২) দরদাতা এবং অনুমোদিত প্রতিনিধি দরপত্র খোলার সময় উপস্থিত থাকিতে পারিবে।
৯।	দরপত্রের সহিত যে সকল কাগজপত্র জমা প্রদান করিতে হইবে।	১। হলনাগাদ ট্রেড লাইসেন্স, হলনাগাদ আয়কর সার্টিফিকেট, ভ্যাট রেজিস্ট্রেশন সার্টিফিকেট, ব্যাংক সলভেন্সি (বিগত ৬ মাসের স্টেটমেন্টসহ), গ্র্যাফিচেভিট, পাসপোর্ট সাইজের ছবি ০১ কপি (তালিকাভুক্ত ঠিকাদারদের জন্য প্রযোজ্য নহে)। ২। তালিকাভুক্তিহীন ঠিকাদার/সরবরাহকারীগণ সীমিত দরপত্রের অংশগ্রহণের ক্ষেত্রে সম্পূর্ণ মূল্যের শতকরা ৩ ভাগ (৩%) আর্নেস্টম্যানি হিসেবে পে-অর্ডার/ব্যাংক ড্রাফট ডকইয়ার্ড এন্ড ইঞ্জিনিয়ারিং ওয়ার্কস লিমিটেড এর নামে দরপত্রের সাথে জমা দিতে হবে। ৩। অত্র প্রতিষ্ঠানে তালিকাভুক্ত ঠিকাদারগণ দরপত্রের সাথে তালিকাভুক্তির পর দাখিল করতে হবে।
১০।	টেন্ডার ডকুমেন্টের মূল্য	ফ্রি
১১।	যোগাযোগের মাধ্যম	মোবাইলঃ ০১৭৬৯-৭১৯৮৮৭, ০১৭৬৯-৭১৯৮৮৮
১২।	বিশেষ নির্দেশনাকালীঃ	১। দরপত্র গ্রহণ ও খোলার দিন কোন কারণ বশতঃ কার্যদিবস ব্যাহত হলে পরবর্তী প্রথম কার্যদিবসে একই সময়ে দরপত্রদরদাতাগণের উপস্থিতিতে (যদি কেহ থাকেন) দরপত্র গ্রহণ ও খোলা হবে। ২। অগ্রাহ্য দরদাতাগণ দরপত্র দলিলের বিস্তারিত বিষয় ও শর্তাবলী যথাযথভাবে জ্ঞাত হয়ে দরপত্র দাখিল করবেন। দরপত্র দাখিল পরবর্তী কোন প্রকার ওজর/আপত্তি গ্রহণযোগ্য হবে না। ৩। এ বিজ্ঞপ্তি অত্র প্রতিষ্ঠানের ওয়েব সাইট www.dewbn.gov.bd তে পাওয়া যাবে। ৪। ডিইডব্লিউ লিমিটেড কর্তৃপক্ষ কোন কারণ দর্শানো ব্যতিরেকে যে কোন/সকল দরদাতা গ্রহণ/ ব্যতিল ও সংশোধন করিবার অধিকার সংরক্ষণ করেন।

পক্ষে ব্যবস্থাপনা পরিচালক



ডকইয়ার্ড এন্ড ইঞ্জিনিয়ারিং ওয়ার্কস লিঃ

বাংলাদেশ নৌবাহিনী

সোনাকান্দা, বন্দর, নারায়ণগঞ্জ

স্থানীয় ক্রয়ের জন্য দরপত্র

.....
.....
.....

পুনঃ দরপত্র নং ০৬.০২.৬৭৫৮.১৬৫.০৭.১৯৪.২৬.১০

তারিখঃ ০১ জুলাই ২০২৬

খোলার তারিখঃ ১২ জুলাই ২০২৬

সকাল- ১১:০০ ঘটিকা

জনাব

অপর পৃষ্ঠায় বর্ণিত দ্রব্যাদি ডকইয়ার্ড এন্ড ইঞ্জিনিয়ারিং ওয়ার্কস লিমিটেডে সরবরাহ করার জন্য আপনাদের কাছ থেকে ০১-০২ দফায় বর্ণিত মালামালের সর্বনিম্ন মূল্য তালিকা আহ্বান করা যাচ্ছে। আপনাদের মূল্য তালিকা অবশ্যই অপর পৃষ্ঠায় বর্ণিত আমাদের শর্তাবলী অনুযায়ী হতে হবে।

আপনাদের বিশ্বস্ত

মোঃ নাসিম হোসেন

সিনিয়র লিয়াজো অফিসার

ভারপ্রাপ্ত কর্মকর্তা, বাণিজ্যিক শাখা

অত্র প্রতিষ্ঠানের পেইন্ট শপের জন্য DEW POINT MACHINE & SURFACE PROFILE GAUGE এর বিবরণঃ
সূত্রঃ

ক। ভান্ডার চাহিদা পত্র নং- ৫২১ তারিখ ০৯ জুন ২০২৬ (পেইন্ট শপ)।

ক্রম নং	মালামালের বিবরণ	একক	পরিমাণ	একক মূল্য	মোট মূল্য
1	Dew Point Machine (As per Technical Specification Annex-A)	Set	01		
2	Surface Profile Gauge (As per Technical Specification Annex-B)	Set	01		
ভ্যাট ও ট্যাক্সসহ সর্বমোট টাকা					

কথায়:.....
.....

বিঃদ্রঃ এখানে উল্লেখ্য যে, আপনার প্রতিষ্ঠানের নিজস্ব লেটার হেড প্যাডে মালামালের সঠিক Specification উল্লেখ পূর্বক দরপত্রের সাথে দাখিল করতে হবে। Brand, Model এবং Country of Origin অবশ্যই উল্লেখ করতে হবে অন্যথায় দরপত্রটি বাতিল বলে গন্য হবে।

দরপত্র কমিটির স্বাক্ষর


বাণিজ্যিক শাখা

হিসাব রক্ষণ শাখা

ব্যবহারকারী

আমরা অপর পৃষ্ঠায় সমস্ত শর্তাবলী মানিয়া
নিলাম

সরবরাহকারীর স্বাক্ষর
ভ্যাট নিবন্ধন নং-
এরিয়া কোড নং-
টিআইএন নং-


MD. NASIM NAIDER
Sr. Liaison Officer (Commercial)
Dockyard & Engineering Works Ltd.
Bangladesh Navy
Sonakanda, Bandar, Narayanganj

TECHNICAL SPECIFICATION FOR DEW POINT MACHINE


SL No	Description	Technical Description, Specification and standard required	Specification offered by Bidder
01	Name of the Equipment	Dew Point Machine.	
02	Purpose	Dew Point Machine required for Weather environment Check for Painting work in Dockyard and Engineering Works Limited (DEW).	
03	Quantity	01 (One) Complete set.	
04	Year of manufacturer	2025 or later.	
05	Country of Origin & Manufacture	The equipment and associated accessories attachment are to be from any of the following countries: USA, Canada, Australia, Japan, Korea, Malaysia, Singapore, UK and EU countries (name of country to be mentioned).	
06	Certificate/ Document of Authentication	a. One certificate/ document by the manufacturer in favor of the supplier (in case of manufacturer as direct source). b. Two certificates/ documents, one by the manufacturer to authorized agent and other by the authorized agent to supplier (in case of authorized agent as immediate source).	
07	Standard	Dew Point Machine is to be designed and constructed fulfilling the requirement of International standards. The standard to which Dew Point Machine complies with is to be specified.	
08	Operating Environment.	The environment under which the Dew Point Machine will be operated and their perforation will be measured is as under: Ambient Conditions: 1 Air temperature 0°C – 50°C or better 2 Relative humidity 20% – 80% or better	
09	Scope of Supply	The scope of supply is to be include the following: a. (As per paragraph 10 to 11) b. Documents (Catalogue, operation/ service and maintenance manual, parts catalogue etc as applicable) (As per paragraph 12 to 13) c. Test and trial (As per paragraph 14) d. Warranty (As per paragraph 15) e. Any other issue relevant (if any)	
10	Technical Specification		
	a. General	1 Brand To be mentioned.	
		2 Model To be mentioned.	
		3 Type Portable	
		4 Weight 160 to 310 Grams	
		5 Power Rechargeable Li-ion battery (Included)	
		6 Range 0 to 500 µm (0-20 mils)	
		7 Accuracy ±5% or ±5 µm (0.2 mils)	
		8 Resolution 1 µm (0.1 mils)	
		9 Common Applications Dew Point Machine	
		10 Measurement Rate 50+ Readings per minute	
		11 Memory Up to 150,000 readings in 2,500 batches (model dependent)	
		12 Connectivity USB and Bluetooth data output	
		13 Standards ASTM D4417-B, SSPC PA 17, US NAVY NSI 009-32	

MD. NASIM HAIDER
Sr. Liaison Officer (Commercial)
Dockyard & Engineering Works Ltd.
Bangladesh Navy
Sonakanda, Bandar, Narayanganj

		14	Components	Digital display	
		15	Environmental	IP64 Dust and waterproof, suitable for harsh environments	
		16	Software	Compatible with software for report generation	
		17	All Values on Screen	Change Units With a Touch	
		18	Temperature	-10°C to 60°C (14°F to 140°F)	
		19	Relative Humidity %	12 to 100% RH 05 to 15% RH 0 to 05% RH,	
11	Standard Accessories	All necessary fittings and standard accessories which are required for immediate operation of Dew Point Machine, but not mentioned in this specification are to be provided with the set at the time of delivery. The list includes, but not limited to necessary connectors, plug.			
12	Catalogue	One set technical catalogue in English is to be provided with the offer.			
13	Manual and Documents	Operation/Service & Maintenance manual and parts catalogue are to be provided in English during delivery.			
14	Test, Trial, Commissioning and Acceptance	Test and trail will be carried out by the supplier at DEW premises. All expenses will be borne by the supplier. After satisfactory test & trail acceptance certificate will be signed jointly by the representative of supplier and the representative of buyer.			
15	Warranty	01 year from successful test and trail.			
16	Delivery	Items are to be delivered within 01 (one) month from the date of signing the contract or purchase order.			
17	Validity of Offer	The offer will remain valid for 01 (one) month from date of opening of tender.			


Note:

Compliance Statement. A compliance statement (in a tabular format) fulfilling all the requirement of the tender is to be submitted for evaluation of the quotations. Stating mere 'Yes' or 'No' will not suffice and detailed description/ information as required is to be given. An incomplete compliance statement may attribute to cancellation of the offer. If any clause of this specification does not commensurate with offered Machine, the deviation has to be spelt out clearly.


MD. NASIM HAIDER
 Sr. Liaison Officer (Commercial)
 Dockyard & Engineering Works Ltd.
 Bangladesh Navy
 Sonakanda, Bandar, Narayanganj

TECHNICAL SPECIFICATION FOR SURFACE PROFILE GAUGE

SL No	Description	Technical Description, Specification and standard required	Specification offered by Bidder																																	
01	Name of the Equipment	Surface Profile Gauge.																																		
02	Purpose	Surface Profile Gauge required for high quality Plate Surface Profile Check in Dockyard and Engineering Works Limited (DEW).																																		
03	Quantity	01 (One) Complete set.																																		
04	Year of manufacturer	2025 or later.																																		
05	Country of Origin & Manufacture	The equipment and associated accessories attachment are to be from any of the following countries: USA, Canada, Australia, Japan, Korea, Malaysia, Singapore, UK and EU countries (name of country to be mentioned).																																		
06	Certificate/ Document of Authentication	a. One certificate/ document by the manufacturer in favor of the supplier (in case of manufacturer as direct source). b. Two certificates/ documents, one by the manufacturer to authorized agent and other by the authorized agent to supplier (in case of authorized agent as immediate source).																																		
07	Standard	Surface Profile Gauge is to be designed and constructed fulfilling the requirement of International standards. The standard to which Surface Profile Gauge complies with is to be specified.																																		
08	Operating Environment.	The environment under which the Surface Profile Gauge will be operated and their perforation will be measured is as under: Ambient Conditions: <table><tr><td>1</td><td>Air temperature</td><td>0°c ~ 50°c or better</td></tr><tr><td>2</td><td>Relative humidity</td><td>20% ~ 80% or better</td></tr></table>	1	Air temperature	0°c ~ 50°c or better	2	Relative humidity	20% ~ 80% or better																												
1	Air temperature	0°c ~ 50°c or better																																		
2	Relative humidity	20% ~ 80% or better																																		
09	Scope of Supply	Scope of supply. The scope of supply is to be include the following: a. (As per paragraph 10 to 11) b. Documents (Catalogue, operation/ service and maintenance manual, parts catalogue etc as applicable) (As per paragraph 12 to 13) c. Test and trial (As per paragraph 14) d. Warranty (As per paragraph 15) e. Any other issue relevant (if any)																																		
10	Technical Specification																																			
	a. General	<table><tr><td>1</td><td>Brand</td><td>To be mentioned.</td></tr><tr><td>2</td><td>Model</td><td>To be mentioned.</td></tr><tr><td>3</td><td>Probe Type</td><td>Replaceable tungsten carbide tip (up to 20,000 readings)</td></tr><tr><td>4</td><td>Weight</td><td>160 to 310 Grams</td></tr><tr><td>5</td><td>Power</td><td>Rechargeable Li-ion battery (Included)</td></tr><tr><td>6</td><td>Range</td><td>0 to 500 µm (0-20 mils) or 0 – 1000 µm (0-40 mils)</td></tr><tr><td>7</td><td>Accuracy</td><td>±5% or ±5 µm (0.2 mils)</td></tr><tr><td>8</td><td>Resolution</td><td>1 µm (0.1 mils)</td></tr><tr><td>9</td><td>Common Applications</td><td>Surface Profile Gauge</td></tr><tr><td>10</td><td>Measurement Rate</td><td>50+ Readings per minute</td></tr><tr><td>11</td><td>Memory</td><td>Up to 150,000 readings in 2,500</td></tr></table>	1	Brand	To be mentioned.	2	Model	To be mentioned.	3	Probe Type	Replaceable tungsten carbide tip (up to 20,000 readings)	4	Weight	160 to 310 Grams	5	Power	Rechargeable Li-ion battery (Included)	6	Range	0 to 500 µm (0-20 mils) or 0 – 1000 µm (0-40 mils)	7	Accuracy	±5% or ±5 µm (0.2 mils)	8	Resolution	1 µm (0.1 mils)	9	Common Applications	Surface Profile Gauge	10	Measurement Rate	50+ Readings per minute	11	Memory	Up to 150,000 readings in 2,500	
1	Brand	To be mentioned.																																		
2	Model	To be mentioned.																																		
3	Probe Type	Replaceable tungsten carbide tip (up to 20,000 readings)																																		
4	Weight	160 to 310 Grams																																		
5	Power	Rechargeable Li-ion battery (Included)																																		
6	Range	0 to 500 µm (0-20 mils) or 0 – 1000 µm (0-40 mils)																																		
7	Accuracy	±5% or ±5 µm (0.2 mils)																																		
8	Resolution	1 µm (0.1 mils)																																		
9	Common Applications	Surface Profile Gauge																																		
10	Measurement Rate	50+ Readings per minute																																		
11	Memory	Up to 150,000 readings in 2,500																																		



MD. NASIM HAIDER
Sr. Liaison Officer (Commercial)
Dockyard & Engineering Works Ltd.
Bangladesh Navy
Sohakanda, Bandar Narayer

MD. NASIM HAIDER
Sr. Liaison Officer (Commercial)
Dockyard & Engineering Works Ltd.
Bangladesh Navy
Sohakanda, Bandar Narayer

		batches (model dependent)	
	12	Connectivity	USB and Bluetooth data output
	13	Standards	ASTM D4417-B, SSPC PA 17, US NAVY NSI 009-32
	14	Usage	Measures profile height to ensure proper adhesion for coating application
	15	Components	Digital display, probe (integral or separate), Glass zero plate, and calibration foils
	16	Environmental	IP64 Dust and waterproof, suitable for harsh environments
	17	Software	Compatible with software for report generation
11	Standard Accessories	All necessary fittings and standard accessories which are required for immediate operation of Surface Profile Gauge, but not mentioned in this specification are to be provided with the set at the time of delivery. The list includes, but not limited to necessary connectors, plug.	
12	Catalogue	One set technical catalogue in English is to be provided with the offer.	
13	Manual and Documents	Operation/Service & Maintenance manual and parts catalogue are to be provided in English during delivery.	
14	Test, Trial, Commissioning and Acceptance	Test and trail will be carried out by the supplier at DEW premises. All expenses will be borne by the supplier. After satisfactory test & trail acceptance certificate will be signed jointly by the representative of supplier and the representative of buyer	
15	Warranty	01 year from successful test and trail.	
16	Delivery	Items are to be delivered within 01 (one) month from the date of signing the contract or purchase order.	
17	Validity of Offer	The offer will remain valid for 01 (one) month from date of opening of tender.	

Note:

Compliance Statement. A compliance statement (in a tabular format) fulfilling all the requirement of the tender is to be submitted for evaluation of the quotations. Stating mere 'Yes' or 'No' will not suffice and detailed description/ information as required is to be given. An incomplete compliance statement may attribute to cancellation of the offer. If any clause of this specification does not commensurate with offered Machine, the deviation has to be spelt out clearly.


MD. NASIR HAIDER
 Sr. Liaison Officer (Commercial)
 Dockyard & Engineering Works Ltd.
 Bangladesh Navy
 Sonakanda, Bandar, Narayanganj

স্থানীয় দরপত্রের অংশগ্রহণের শর্তাবলী

- ১। দরপত্র গ্রি সরবরাহ এ্যাট সাইট শর্ত ছাড়া অন্য কোন শর্তে গ্রহণযোগ্য নয়।
- ২। দরপত্রে অংশ গ্রহণকারীকে সরকারী বিধি মোতাবেক কাটমস কর্তৃপক্ষের দপ্তর থেকে মুসক সেবার কোড এর ২১১৭১০০০০৬৭ আওতাধীন "যোগানদার" হিসেবে মূল্য সংযোজন কর/টার্নওভার ট্যাক্স নিবন্ধিত হতে হবে এবং এ দরপত্রের সাথে মুসক/টার্নওভার ট্যাক্স নিবন্ধন পত্রের কপি সংযুক্ত করতে হবে। বিধি মোতাবেক মুসক আদায়/রহিত করা হবে। সরকারী নিয়ম অনুযায়ী বিল হতে ট্যাক্স ও ভ্যাট কর্তন করা হবে।
- ৩। সরবরাহকারীর মূল্য (যহা হতে লিখিত বা ছাপানো হোক) পরিষ্কারভাবে সীলমোহরকৃত খামে ব্যবস্থাপনা পরিচালক, ডকইয়ার্ড এন্ড ইঞ্জিনিয়ারিং ওয়ার্কস লিট, বাংলাদেশ নৌবাহিনী, বন্দর, নারায়ণগঞ্জ সংঘোধনপূর্বক পাঠাতে হবে।
- ৪। মূল্য যাচাইপত্র নং বাবি ০৬.০২.৬৭৫৮.১৬৫.০৭.১৯৪.২৫৬. ২০ তারিখ ০১ জুলাই ২০২৬ জমা নেবার শেষ তারিখ ১২ জুলাই ২০২৬ সকাল ১০:৪৫ মিঃ পর্যন্ত।
- ৫। মূল্য তালিকা ডাক অথবা যহা হতে ডকইয়ার্ডের প্রধান ফটকে রক্ষিত ব্যাগে জমা দিতে হবে। মূল্য তালিকা কমপক্ষে ৪০ দিন পর্যন্ত অবশ্যই বলবৎ রাখতে হবে। ক্রয়াদেশ প্রদানের তারিখ হইতে ১৫ (পনের) দিনের মধ্যে মালামাল সরবরাহ করতে হবে।
- ৬। ক্রয়াদেশ বর্ণিত সময়সীমা উত্তীর্ণ হওয়ার পর মালামাল সরবরাহ করা হলে প্রতি সপ্তাহে অথবা অংশ বিশেষ এর জন্য ০.৫% হার এলডি এবং সরবরাহ অধিক বিলম্বের কারণে উৎপাদন ব্যহত হলে/কোন ক্ষতি হলে প্রতি সপ্তাহের অথবা তার অংশ বিশেষের জন্য অনধিক ১% হারে এলডি সরবরাহকারীর নিকট হতে কর্তন করা হবে।
- ৭। সরবরাহকারী কর্তৃক সময়মত মালামাল সরবরাহে ব্যর্থ হলে অসরবরাহকৃত মালামাল অন্যত্র হতে ক্রয় করতা অতিরিক্ত খরচ (যদি কিছু থাকে) সরবরাহকারীর নিকট হতে আদায় করা হবে।
- ৮। আমাদের নির্দিষ্ট মূল্য যাচাই পত্রের দরপত্র ফরম ব্যতিরেকে অন্য যে কোন শিরোনামাঙ্কিত পত্রের মূল্য তালিকা পাঠানো হলে উহা গ্রহণযোগ্য নাও হতে পারে। কিংবা প্রাপ্ত দরপত্র গ্রহণযোগ্য নয়।
- ৯। ডিইডব্লিউ লিট কর্তৃপক্ষের কোন কারণ দর্শানো ব্যতিরেকেই যে কোন কিংবা সকল মূল্য তালিকাই গ্রহণ অথবা নাকচ করার ক্ষমতা থাকবে।
- ১০। কোন গ্রহণযোগ্য মূল্য তালিকার সরবরাহকারীকে ক্রয়াদেশ বিধি মোতাবেক দ্রব্য সরবরাহ সুনিশ্চিত করার জন্য তালিকাভুক্তি ছাড়া সরবরাহকারীর নিকট হতে ৫% হারে জামানত আহবান করা যাবে। উক্ত জামানত এবং তালিকাভুক্ত সরবরাহকারীর স্থায়ী জামানত ডিইডব্লিউ লিট কর্তৃপক্ষের আইনের পরিপন্থী এবং ক্রয়াদেশ বর্ণিত যে কোন কার্যের জন্য অর্থাৎ নির্দিষ্ট সময় সরবরাহ করতে অপারগ, প্রতিজ্ঞা অথবা নমুনা কিংবা ক্রয়াদেশ মোতাবেক সরবরাহ না করার জন্য বাজেয়াপ্ত করা যাবে।
- ১১। আমাদের এ শর্তাবলী স্বীকার করে নেওয়ার পর সরবরাহকারী কর্তৃক কোন প্রকার অবহেলা অথবা অন্য যে কোন নিজস্ব কারণে যদি শর্তাবলী লঙ্ঘিত হয় এবং তার পরিপ্রেক্ষিতে ডকইয়ার্ডের যে কোন দ্রব্যগত বা অর্থগত ক্ষতি সরবরাহকারীর জামানত হতে পূরণ করা হবে।
- ১২। ক্রয়াদেশভুক্ত একই দফার আংশিক সরবরাহ গ্রহণযোগ্য নয়।

সালিসীর মধ্যস্থতা

উপরোক্ত শর্তাবলীর উপর যদি কোন মত বিরোধ দেখা দেয় তবে বিষয়টি নিষ্পত্তির জন্য উভয় পক্ষের মতানুসারে একটি সালিসী পক্ষ ডাকা হবে এবং তাতে বিফল হলে বাংলাদেশ নৌবাহিনী কর্তৃক মনোনীত সালিসী পক্ষ এবং সরবরাহকারীর মনোনীত সালিসী পক্ষের মধ্যস্থতায় নিষ্পত্তির চেষ্টা করা হবে, তাতেও বিফল হলে উভয় সালিসী পক্ষের লিখিত মনোনয়নের মাধ্যমে একজন বিচারক (অম্পায়ায়র) নিযুক্ত করা যাবে এবং তাতেও গৃহীত সিদ্ধান্ত ব্যর্থ হলে ১৯৪০ সালের সালিসী আইন অনুযায়ী চরম সিদ্ধান্তের জন্য একটি চরম সালিসী পক্ষকে মেনে নিতে হবে এবং সে সিদ্ধান্ত উপরে বর্ণিত শর্তাবলী আইনানুগভাবে সংযোজিত হবে এবং উভয় পক্ষকে মেনে

নিষ্পত্তি

সরবরাহকৃত মালামালের গুণাগুণ পরীক্ষাতে এমআরআর প্রাপ্তি সাপেক্ষে সরবরাহ চালানসহ লেটার হেড প্যাডে ব্যাক একাউন্ট বিবরণ ০৩ (তিন) কপি বিল ও চালান দখল করার পর চেকের মাধ্যমে সরকারি নিয়মানুযায়ী ভ্যাট ও ট্যাক্স কর্তন সাপেক্ষে বিল পরিশোধ করা হবে।

বিশেষ দৃষ্টব্য

উপরে উল্লেখিত যে কোন ঘরের নির্দিষ্ট বক্তব্য হতে বিরত থাকলে সরবরাহকারীর মূল্য উদ্ধৃত ব্যতিল হতে পারে। মূল্য উদ্ধৃতির সকল মূল্যহার পরিষ্কারভাবে লিখতে হবে। কোনরূপ অসম্পূর্ণতা অথবা পুনঃলিখনের মাধ্যমে ভুল বুঝার অবকাশ থাকলে উদ্ধৃতির উক্ত অংশটুকু ব্যতিল বলে গণ্য হবে।

**দরপত্রদাতার জন্য দিক নির্দেশনা
(GUIDELINES FOR TENDERER)**

নিম্নোক্ত নির্দেশনামূলক দরপত্র তৈরীর জন্য গাইড লাইন হিসেবে কাজ করবে :

১। সতর্কতামূলক নোট (NOTE OF CAUTION) :

(ক) কোটেশন বা দরপত্রের বিষয়গুলি যদি এই গাইড লাইনের বর্ণিত চুক্তির শর্তের এবং বিনির্দেশে এবং এজেন্ডাভুক্ত বিষয়ের বর্হিভূত হয় তবে তা বাতিল বলে গণ্য হবে।

২। ব্যাখ্যা, নির্দেশাবলী এবং অবগতি (CLARIFICATIONS, INSTRUCTIONS AND INFORMATION)।

এই দরপত্রের সাথে জড়িত অতিরিক্ত কোন তথ্যের অথবা বিভ্রান্তি দলিলাদির যে কোন বিষয়ের ব্যাখ্যা করার অনুরোধ থাকলে তা লিখিতভাবে দরপত্র খোলার পূর্বেই জমা দিতে হবে। যদি ক্রেতা কোন ব্যাখ্যা বা অতিরিক্ত তথ্য জানানোর প্রয়োজন অনুভব করে তবে তা সকল বিভাগকে লিখিতভাবে জানাবেন। ক্রেতা মৌখিক ব্যাখ্যা, নির্দেশনা বা সংযোজনের ক্ষমতা সংরক্ষণ করে।


৩। দরপত্র দলিল পরিবর্তন (MODIFICATION OF TENDER DOCUMENT)। কোন পরিবর্তন, সংশোধন অথবা ব্যাখ্যা অথবা দরপত্র বাতিলের তারিখ বাড়ানোর দরকার হলে তা সংশোধন আকারে প্রকাশ করা হবে, যা দরপত্রের অংশ হিসেবে গণ্য হবে। এটা দরপত্র আহবানকারী কর্তৃক স্বাক্ষরিত হতে হবে এবং দরপত্রের সাথে সংযুক্ত হবে। যদি তা না হয় তবে অফার বাতিল বলে গণ্য হবে।

৪। বিডিং নির্দেশনাবলী (BIDDING INSTRUCTION)।

৪.১ একক খাম পদ্ধতি (One Envelop System)।

ক। বাহিরের খামে দরপত্র নং, দরপত্র খোলার তারিখ ও সময় উল্লেখ থাকবে। ভিতরের খামে দরপত্র দরদাতার নাম ও পূর্ণ ঠিকানা থাকতে হবে, যাতে ক্রেতা দেয়ালে প্রাপ্ত দরপত্র না খুলে ফেরত পাঠাতে পারে।

খ। যদি বাহিরের খামটি পূর্বের নির্দেশনানুসারে সীল গালা করা না হয় তবে তা মিসপ্রেসমেন্ট বা অসম্পূর্ণ দরপত্র হিসেবে বিবেচিত হবে, যাতে ক্রেতা দায়ী থাকবে না।


MD. NASIM HAIDER
Sr. Liaison Officer (Commercial)
Dockyard & Engineering Works Ltd
Bangladesh Navy
Sonakanda, Bandar, Narayanganj